

Tree Survey Report

Site Address

Anstey Park Extension
Anstey Park
Alton
GU34 2NB

Report No.

G&TS/SR/0352

Site Surveyed by

Steven Lamb

Report Prepared by


Simon Rogers

Approved by

Stuart Campbell FdSc (Arb) MArborA

Date

6th July 2026



Contents

1. Introduction	3
1.1 Assignment	3
1.2 Documents and Information Provided	3
1.3 Scope of This Report	3
1.4 Limitations of Use	3
2. Site Visit Observations	3
3. Identification and Location of Trees	3
4. Observations	4
5. Works Priority	4
6. Recommendations	5
7. Future Considerations	6
8. Other Considerations	6
8.1 Trees subject to statutory controls	6
9. Reference Material	6
10. Survey Certification	7
11. Appendix 1: Glossary of Arboricultural Terminology	8
12. Appendices 2 & 3:	13
• Tree Schedule – Priority Works	13
• Tree Location Plan	13



1. Introduction

1.1 Assignment

Gristwood & Toms (a Nurture Group Company) has been instructed by Alton Town Council to carry out a survey of the trees within the grounds of **Anstey Park Extension, Anstey Park, Alton, GU34 2NB**. Where appropriate, we are to make recommendations on the immediate and future management in the interest of safety.

1.2 Documents and Information Provided

No documents or information was provided

1.3 Scope of This Report

This report solely relates to the trees that Steven Lamb surveyed on 14th and 15th May 2026.

1.4 Limitations of Use

The content and format of this report are for the exclusive use of the addressee in dealing with this site. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without the written consent of Gristwood & Toms.

2. Site Visit Observations

An unaccompanied site visit of Anstey Park Extension, Anstey Park, Alton, GU34 2NB was carried out by Steven Lamb on 14th and 15th May 2026. The trees were inspected using the Visual Tree Assessment (VTA) methodology described by Claus Mattheck and Helge Breloer in *The Body Language of Trees* (1994). Stationery Office Books (TSO) and endorsed by the Arboricultural Association (LANTRA Professional Tree Inspection course, 2007).

All observations were from ground level without detailed investigations. All dimensions were estimated unless otherwise indicated. The weather at the time of the survey was warm and sunny with good visibility.

3. Identification and Location of Trees

The survey schedule lists the species, based on visual observation, giving the scientific and common names of the tree. The tree survey schedule is included in the appendices of this report.



4. Observations

There were **90 features** in total inspected on the site. Of the 90 features inspected, **81 features** were identified as individual trees, and **9 features** were identified as a tree groups.

Of the **81 individual trees** inspected on the site, **0 trees** were identified to be in a good condition. **78 trees** were identified to be in a fair condition. **3 trees** were identified to be in a poor condition.

Of the **7 tree groups** inspected on the site, **7 tree groups** were identified to be in a fair condition.

5. Works Priority

Urgent – Public Safety

Works are urgently required to make safe a tree that has been identified as dead/structurally unsound and is putting public safety at risk.

These works are recommended to be completed within **1 month**.

High Priority

Works may be required for the following reasons:

To keep the highways infrastructure (e.g., streetlights and road signs) clear of obstructions and maintain sight lines for vehicles or pedestrians.

To abate an actionable nuisance (e.g., branches damaging windows and gutters).

When an inspection has identified visible decay, fungal brackets, or other structural defects.

To reduce a significant overhang of tree branches into an adjacent property.

When previous maintenance regimes have determined that future works are of the same specification for that specimen (e.g., pollarding and crown reduction).

These works are recommended to be completed within **12 months**.

Low Priority

Works may be carried out on a cyclic pruning regime to provide long term health and safety benefits to the tree.

These works are recommended to be completed within **24 months**.

No Action Required

Where a tree's health and condition indicate no works are required at the time of inspection.



The presence of any defect will increase the chances of failure. Each species has its own profile of defects. Some factors that must be considered include the species growth habit, tree condition, branch attachments, resistance to decay, condition of anchoring roots, cultural or maintenance history and previous damage.

Failure Potential	Urgent – Public Safety	High Priority	Low Priority	No Action Required
Works Within 1 Month	0			
Works Within 12 Months		31		
Works Within 24 Months			0	
No Action Required				59

6. Recommendations

Recommendations have been made for tree works in line with sound Arboricultural management and it is recommended that the works are undertaken within the suggested timescales.

There are **0 trees**, or **tree groups** identified that require **Urgent – Public Safety** tree work. It is recommended that the works should be completed within the next **1 month**.

There are **31 trees** identified that require **High Priority** tree work. It is recommended that the works should be completed within the next **12 months**.

There are **0 trees**, or **tree groups** identified that require **Low Priority** tree work. It is recommended that the works should be completed within the next **24 months**.

There are **50 trees**, and **9 tree groups** were identified as **No Action Required**.

All recommended tree works are to be carried out in accordance with BS 3998:2010 – Tree Work Recommendations.

Nesting Birds: Any recommended tree works should be undertaken outside the bird nesting season (1st March to 31st August); however, it should be assumed that birds will nest before and after this period. A wildlife assessment should be carried out immediately prior to the commencement of works. This will inform on whether there are nesting birds and if works on a specific tree can proceed without harming any birds.



Bats: Prior to commencing aerial works or felling, the arborists should carry out a visual assessment for the potential for bat habitation. If there is a possibility of bats using a tree for roosting, the Commissioning Officer (Agent) should be contacted and works to the tree suspended until an ecologist has visited the site to provide advice on whether works can proceed without any risk of harm to bats.

7. Future Considerations

Trees are living organisms whose health and condition can change rapidly; therefore, the health, condition and safety of trees should be checked on a regular basis.

When the recommended tree work has been carried out, it is suggested that an inspection regime is introduced so that the subject trees are inspected on a **24-monthly cycle**, unless otherwise indicated within Appendix 2: Tree Schedule – Priority Works of this report.

8. Other Considerations

8.1 Trees subject to statutory controls

If any trees are covered by a Tree Preservation Order or located in a conservation area it will be necessary to consult the local authority before any tree work can be carried out. The works specified above are necessary for reasonable management and should be acceptable to the local authority.

9. Reference Material

Wilson, P. (n.d.). *Tree Terms - Arboricultural definitions*. [online] A-Z of tree terms: A companion to British arboriculture. Available at: <http://www.treeterms.co.uk/>.

Johnson, O. and More, D. (2006). *Collins tree guide*. London: Collins.

C Mattheck (2007). *Updated field guide for visual tree assessment*. Karlsruhe: Forschungszentrum Karlsruhe.

Claus Mattheck, Helge Breloer and Britain., G. (1994). *The Body Language of Trees*. Stationery Office Books (TSO).

Lonsdale, D. (1999). *Principles of Tree Hazard Assessment and Management*. Stationery Office Books (TSO).

Strouts, R.G., Winter, T.G. and Great Britain. Forestry Commission (2004). *Diagnosis of ill-health in trees*. Norwich: TSO.

Guy, W. (2014). *Tree pests and diseases: an arborists' field guide*. Stonehouse, Gloucestershire: Arboricultural Association.



Watson, G., Green, T. and Arboricultural Association (2011). Fungi on trees: an arborists' field guide. Stonehouse, Gloucestershire: Arboricultural Association, Cop.

British Standards Institution (2010). BS 3998:2010 Tree Work – Recommendations. London: BSI.

10. Survey Certification

Site Surveyed By:

Steve Lamb

Report Completed By:

Simon Rogers

Report Approved By:

Stuart Campbell FdSc (Arb) MArborA.

Date:

6th July 2026



11. Appendix 1: Glossary of Arboricultural Terminology

Ash Dieback	Ash dieback is a disease that affects ash trees (<i>Fraxinus spp.</i>), caused by a fungus called <i>Hymenoscyphus fraxineus</i> . The fungus blocks water transportation within the tree, leading to bark lesions, leaf loss and dieback of the crown.
Asymmetrical Crown	Unbalanced crown often resulting from storm damage, uneven pruning work or the proximity of neighbouring trees.
Bark exudate	A flow of viscous liquid (bleeding from bark) exuded onto the surface of the bark from the underlying tissues consisting of largely of <i>gum</i> , <i>resin kino</i> or <i>latex</i> depending on the species of tree. Bark exudate indicates the inner bark is dead, dying, or injured owing to disease, physical injury, root damage etc.
Branch Stub	That part of a decapitated or broken branch protruding beyond the branch collar, sometimes called a snag. It is considered not good pruning practice to leave stubs. Branch stubs may give rise to unwanted epicormic shoots or may lack vigour and subsequently die back, making them prone to decay.
Brown rot	Form of decay where cellulose is degraded, while lignin is only modified.
Buttress root	Roots that emerge from the base of the tree stem, normally large and well developed and rapidly forming the connection between the stem and the transport roots.
Cambium	A thin layer of actively growing and dividing cells, located between the xylem (sapwood) and the bark of a plant, the part responsible for radial growth of a tree stem or branch.
Canker	A localised area of dead bark and cambium on a stem or branch, caused by fungal or bacterial organisms, characterised by wound wood development on the periphery. This may be annual or perennial.
Co-dominant stem/ trunk	Forked branches or trunks of nearly the same size in diameter and lacking a normal branch union.
Compartmentalisation	The physiological process that creates the chemical and mechanical boundaries that act to limit the spread of disease and decay organisms.
Conservation area	Designated areas of architectural or historical interest, in which there are special procedures for planning applications. Additionally, tree works cannot generally, be undertaken without prior notification to the relevant local planning authority.



Crown lifting	Crown lift the removal of the lowest branches, usually to a given height. It allows more residual light and greater clearance underneath for vehicles etc.
Crown reduction	The reduction of a tree's height or spread while preserving the tree's natural shape.
Crown thinning	The removal of some of the density of a tree's crown, usually 5-25% allowing more light through its canopy and reducing wind resistance.
Deadwood	Deadwood is often present within the crown or on the stems of trees. It may be an indication of ill health; however, it may also indicate growth processes. If a target beneath the tree, deadwood may fall and cause injury or damage and should be removed, otherwise deadwood can remain intact for conservation purposes (insects, fungi, birds etc), also, the removal of dead branches from a tree's canopy, usually of a specified size (in diameter).
Decay	Progressive deterioration of organic tissues, usually caused by fungal or bacterial organisms, resulting in loss of cell structure, strength, and function. In wood, the loss of structural strength.
Epicormic growth	Fast growing, weakly attached shoots/branches that often grow as a response to stress factors upon a tree or branch removal.
Formative pruning	The trimming of a tree to remove weaknesses and irregularities which may lead to problems. The formative pruning operation is aimed at reducing the potential for future weaknesses or problems within the tree's crown.
Girdling Root	In woody plants, a root that grows across the buttress, or across other roots, eventually causing constriction of the radial growth.
Hazard Beam	An upwardly curved branch in which strong internal stresses may occur without the compensatory formation of extra wood (longitudinal splitting may occur in some cases).
Horse Chestnut Bleeding Canker	Formally attributed to <i>Phytophthora</i> spp. thought to be responsible for 5-10% of cases but following an upsurge of the disease it is now mostly attributed to the bacterium ' <i>Pseudomonas syringae</i> pv. <i>Aesculi</i> '. Horse Chestnut Bleeding Canker kills the bark, resulting in conspicuous bleeding that dries into a black bark exudate. Branches and trees, including young trees, can be completely girdled resulting in the death of the tree.
Included Bark	Bark that becomes embedded in a crotch between branch and trunk or between co-dominant stems, found in narrow or tight crotches, and causes a weak structure.
Massaria	<i>Massaria</i> (<i>Splanchnonema platani</i>) is a disease of London Plane (<i>Platanus x hispanica</i> , also known as <i>Platanus x acerifolia</i>) which causes large lesions on the upper surfaces of major branches and branch dieback and can cause branches to break off the tree and fall.



Monolith	Retaining a standing stem for wildlife habitat or conservation purposes at any given height. The height a monolith is left at is often determined by the proximity to any given target to be less than the falling distance to that target.
Oak Processionary Moth	A cause of defoliation, especially of oaks and trees of other species growing next to defoliated oaks. Eggs are laid within the outer crown of the host tree in late summer and hatch the following spring. The larvae feed on the leaves and often move head-to-tail in a procession, hence their common name. They make communal nests (sometimes called tents) out of silken thread in which they shelter when not feeding. Nests may be spun on the underside of a branch or on the trunk. The hairs of (later stage) larvae are a serious irritant and may provoke an allergic reaction. They easily break off, or are shed when the caterpillars are disturbed, to be dispersed in the air, as well as their abandoned nests, should be treated with extreme caution. Every year oaks in public places are surveyed for OPM and treated with insecticide. Private tree owners may be responsible for their own survey and control, potentially enforced by a plant health notice or the powers of the local authority.
Occluding tissue	The general term of wood, cambium and bark that develop around the site of a wound on a woody plant.
Phytophthora spp.	Phytophthora is a genus of water molds that cause devastating diseases in trees, affecting roots, stems, and foliage. Several species, like <i>Phytophthora ramorum</i> (which causes Ramorum disease), <i>Phytophthora lateralis</i> , and <i>Phytophthora kernoviae</i> , are known to be highly destructive. These pathogens can lead to root rot, stem cankers, dieback, and ultimately, death of the host tree.
Picus Tomography	PiCUS testing is a non-invasive method of determining the extent of decay in trees. The PiCUS Sonic Tomograph is an instrument that can detect decay in trees by taking readings of the velocity of soundwaves through the trunk/stem from several sensors, installed with small nails around the trunk, which are each struck to pass sound through the trunk/stem. These readings are used to create a tomogram, which shows the consistency of the wood within the tree and identifies area/s of decay.
Pollard/Re-Pollard	The complete or partial removal of the crown of a young tree so as to encourage the development of numerous branches either for amenity or historically as fodder, repeated management is required cyclically to maintain the feature.
Resistograph	The Resistograph equipment is a drill-based tool using a stainless-steel drill bit that is approx. 1/16 inch in diameter and about 20 inches in length and is used to establish the strength of wood, without the need for destructive testing. As the subject tree is drilled, sound wood being denser than decayed wood offers greater resistance to the drill bit as it passes through the wood. This resistance is recorded electronically across the radius of the section being tested. The depth of drilling is dependent on the drill length and dimension of the tree part



being tested. The measurement depth is recorded in centimetres while the amplitude (resistance) reading is given as a percentage across a range of 0 to 100%. The readings allow the Arboriculturalist to assess the internal condition of the subject tree.

Root collar	The basal area of the tree; transition zone from trunk to root. Also sometimes called trunk flare.
Scaffold limbs / scaffold branches	The branches that form the main network framework of the crown of a tree.
Sever ivy and re-inspect	Cut or sever a band of ivy from ground level to a defined height, usually 1.5m above ground level to allow for the inspection and reporting of the base of the tree. Severing ivy also allows the ivy above to die back over a period of time to facilitate future inspections.
Slime Flux	Relating to a toxic condition from the spreading of bacteria or their products from a source of infection: characterised by malodorous gases, or salt deposits upon the bark. Should these enter the sap stream, localised vessel necrosis can result.
Soft rot	A kind of wood decay, where a fungi degrades cellulose within the cell wall, without causing overall degradation.
Sooty Bark Disease	<i>Cryptostroma corticale</i> (Sooty bark disease) is a species of fungus that causes sooty bark disease of maples, particularly sycamore (<i>Acer pseudoplatanus</i>). The spores grow in large amounts under the bark of affected trees or stacked allergenic and cause a debilitating pneumonitis (inflammation of the lungs) in humans.
Stag-head/heading	The outer branches of a tree that have died and now tend to protrude beyond the present extent of the crown.
Subsidence	In relation to vegetation, the removal of water by plant growth resulting in localised shrinkage in the soil volume.
Suppressed	Trees which are dominated by surrounding vegetation and whose crown development is restricted from above.
Tight Union / Tight Crotch	A crotch with a narrow angle between branches, often having included bark.
Tree Preservation Order	An order made by the local planning authority, where consent must be gained before undertaking all but exempt works to a tree.
Visual Tree Assessment (VTA)	An assessment of the mechanical condition of trees based upon their 'body language'. Trees are dynamic and respond to faults / decay / environmental factors in various ways, these responses can be indicative of structural integrity.



Wetwood

An infection caused by bacteria living inside the plant tissues. The bacteria ferment the plant fluids, resulting in death of nearby cells, and often causing exudations of fluid from the bark, often referred to as a Slime Flux.

White Rot

A type of wood decay where fungi attacks the lignin within the wood matrix.



12. Appendices 2 & 3:

- **Tree Schedule – Priority Works**
- **Tree Location Plan**



Appendix 1: Tree Schedule

Feature Type / Tree Code	Tree Seq. no	Store code & name/Location	Tree Location within site	Tree Tag Number	Geolocation Data			Site features	Tree species (Common Name)	No. of stems	Tree Dimensions			Tree defects	Condition	Recommendations	Priority	Date of inspection	Date of next inspection
					O/S Grid Reference	Latitude - Longitude	What3Words				Height (m) (Approx.)	Crown spread (m) (Approx.)	Stem diameter at breast height (cm) (measured)						
Grp/458308	G1	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472399-140944	51.1629113 - 0.9659281	clocking.launch.meatball	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (5 trees) Aesculus hippocastanum (Horse Chestnut) (1 trees) Corylus avellana (Hazel) (15 trees) Cornus sanguinea (Common Dogwood) (10 trees) Crataegus monogyna (Hawthorn) (30 trees) Fraxinus excelsior (Common Ash) (2 trees) Prunus spp. (Cherry species) (3 trees) Sambucus nigra (Common Elder) (5 trees) Sorbus spp. (Rowan/Whitebeam fam.) (1 trees)	72	5.0m	3.0m	16cm	* Ash Dieback - Health Class 1: 76%-100% remaining canopy * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Leaning tree * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458300	G2	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472401-140882	51.1624492 - 0.9655552	octagon.class.lipstick	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (24 trees) Corylus avellana (Hazel) (5 trees) Crataegus monogyna (Hawthorn) (14 trees) Fraxinus excelsior (Common Ash) (8 trees) Malus spp. (Apple species) (3 trees) Salix spp. (Willow species) (3 trees)	57	7.0m	5.0m	20cm	* Ash Dieback - Health class 3: 26%-50% remaining canopy * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Leaning tree * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458304	G3	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472365-140924	51.1628562 - 0.9662877	reduction.pasta.weekends	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Corylus avellana (Hazel) (5 trees) Crataegus monogyna (Hawthorn) (3 trees) Sambucus nigra (Common Elder) (4 trees)	12	5.0m	3.0m	16cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Leaning tree * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458312	G4	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472398-140882	51.1622658 - 0.9655955	guards.quits.essential	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (2 trees) Acer pseudoplatanus (Sycamore) (3 trees) Corylus avellana (Hazel) (9 trees) Crataegus monogyna (Hawthorn) (8 trees)	22	5.0m	3.0m	20cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Leaning tree * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458332	G5	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472456-140821	51.1622106 - 0.9648928	master.isolating.recent	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (4 trees) Crataegus monogyna (Hawthorn) (15 trees) Fraxinus excelsior (Common Ash) (10 trees) Quercus robur (English Oak) (1 trees)	30	7.0m	5.0m	20cm	* Ash Dieback - Health class 4: 0%-25% remaining canopy - Young Ash in poor condition, low risk * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458356	G6	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	North West field boundary	No Tag Found	472584-141065	51.1638688 - 0.9641163	abolish.doubt.schools	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (6 trees) Corylus avellana (Hazel) (23 trees) Crataegus monogyna (Hawthorn) (63 trees) Fraxinus excelsior (Common Ash) (4 trees)	96	6.0m	4.0m	17cm	* Ash Dieback - Health Class 1: 76%-100% remaining canopy * Ash Dieback - Health class 2: 51%-75% remaining canopy * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Leaning tree * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458376	G7	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Adj Allon School sports field, unclear ownership of tree	No Tag Found	472460-140817	51.1624663 - 0.9640499	lunching.deals.implore	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (7 trees) Acer pseudoplatanus (Sycamore) (2 trees) Corylus avellana (Hazel) (11 trees) Crataegus monogyna (Hawthorn) (19 trees) Fagus sylvatica (Common Beech) (1 trees)	40	7.0m	3.0m	20cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458528	G8	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472633-140698	51.1614116 - 0.9618025	pupils.bypasses.wifless	* Grass * Public access: low	Mix Broad (Mixed Broadleaves) Crataegus monogyna (Hawthorn) (14 trees) Malus spp. (Apple species) (2 trees) Quercus robur (English Oak) (2 trees) Sorbus aucuparia (Rowan) (3 trees)	21	7.0m	3.0m	20cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	14/05/2026	May 2029
Grp/458524	G9	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	North East boundary	No Tag Found	472700-140893	51.1629150 - 0.9619238	knee.newer.sung	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer campestre (Field Maple) (6 trees) Crataegus monogyna (Hawthorn) (51 trees) Malus spp. (Apple species) (3 trees) Quercus robur (English Oak) (2 trees)	62	7.0m	3.0m	20cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age - Mixed species hedgerow with various tree heights and diameters. Stem count approximate	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458328	1	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472417-140858	51.1623937 - 0.9657485	divisible.issuer.comic	* Dense under growth * Public access: low	Juglans regia (Common Walnut)	1	12.0m	12.0m	55cm	* Ivy or climbing plants - Main stem * Leaning tree	Fair	* No work required	No action required	14/05/2026	May 2029
Sgl/458316	2	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site		No Tag Found	472418-140887	51.1626598 - 0.9657294	lads.dozed.four	* Dense under growth * Public access: low	Juglans regia (Common Walnut)	1	10.0m	8.0m	35cm	* Ivy or climbing plants - Main stem * Low branches	Fair	* No work required	No action required	14/05/2026	May 2029
Sgl/458320	3	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472410-140900	51.1627783 - 0.9658429	spooned.label.squirfs	* Dense under growth * Public access: low	Juglans regia (Common Walnut)	1	10.0m	8.0m	35cm	* Decay - minor basal * Ivy or climbing plants - Main stem	Fair	* No work required	No action required	14/05/2026	May 2029
Sgl/458324	4	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472401-140935	51.1630906 - 0.9659669	timeless.holds.imprints	* Dense under growth * Public access: low	Juglans regia (Common Walnut)	1	10.0m	7.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* No work required	No action required	14/05/2026	May 2029
Sgl/458340	6	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472452-140812	51.1619822 - 0.9652663	croaking.spacing.gangway	* Dense under growth * Public access: low	Crataegus monogyna (Hawthorn)	1	5.0m	4.0m	10cm	* Ivy or climbing plants - Main stem * Leaning tree * Suppressed	Poor	* No work required	No action required	14/05/2026	May 2029
Sgl/458344	7	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Rear of Manor Rd	No Tag Found	472452-140813	51.1619844 - 0.9652618	croaking.spacing.gangway	* Dense under growth * Public access: low	Crataegus monogyna (Hawthorn)	2	1.0m	1.0m	10cm	* Ivy or climbing plants - Main stem * Suppressed	Poor	* No work required	No action required	14/05/2026	May 2029
Sgl/458372	10	Anstey Park Extension, Anstey Park Allon GU34 2NB - Additional Site	Adj Allon School sports field, unclear ownership of tree	No Tag Found	472508-140855	51.1623571 - 0.9644513	grownup.clothing.modest	* Dense under growth * Public access: high - Low target frequency	Quercus robur (English Oak)	1	12.0m	14.0m	75cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Ivy or climbing plants - Crown - High ecological value * Ivy restricting full inspection - Crown * Major dead wood >50mm - Low target occupancy * Possible wildlife	Fair	* No work required	No action required	14/05/2026	May 2029

Sgl/458360	11	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Alton School sports field, unclear ownership of tree	No Tag Found	472553- 140883	S1.1626021 - 0.9637964	slips.lashed.supposing	* Dense under growth * Public access: high - Low target frequency	Quercus robur (English Oak)	1	12.0m	16.0m	90cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Ivy or climbing plants - Crown - High ecological value * Ivy restricting full inspection - Crown * Major dead wood >50mm * Minor dead wood <50mm * Possible wildlife	Fair	* Remove dead and diseased wood - Remove deadwood over hanging rec and goal post's	High Priority	14/05/2026	May 2029
Sgl/458368	12	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Alton School sports field, unclear ownership of tree	No Tag Found	472589- 140901	S1.1627578 - 0.9632875	cookers.cling.obliging	* Dense under growth * Public access: high - Low target frequency	Fraxinus excelsior (Common Ash)	1	14.0m	16.0m	100cm	* Asymmetrical crown * Ash Dieback - Health Class 1: 76%-100% remaining canopy * Bark wound on trunk (Minor) * Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Ivy or climbing plants - Crown - High ecological value * Ivy restricting full inspection - Crown * Major dead wood >50mm - Low target frequency * Minor dead wood <50mm * Main stem rot - Minor decay * Possible wildlife	Fair	* No work required	No action required	14/05/2026	May 2029
Sgl/458364	13	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Alton School sports field, unclear ownership of tree	No Tag Found	472590- 140901	S1.1627588 - 0.9632631	hung.snitch.detective	* Dense under growth * Public access: high - Low target frequency	Fraxinus excelsior (Common Ash)	1	14.0m	18.0m	100cm	* Asymmetrical crown * Ash Dieback - Health Class 1: 76%-100% remaining canopy * Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Ivy or climbing plants - Crown - High ecological value * Ivy restricting full inspection - Crown * Major dead wood >50mm - Low target frequency * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	14/05/2026	May 2029
Sgl/458380	14	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472594- 140665	S1.1606423 - 0.9632624	ingside.custom.recruiter	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	12.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458388	15	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472597- 140669	S1.1606716 - 0.9632207	oiled.clipboard.applauded	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	19.0m	12.0m	80cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Major dead wood >50mm * Minor dead wood <50mm * Codominant stems - Bifurcation at 1.7m	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl * Remove dead and diseased wood	High Priority	14/05/2026	May 2029
Sgl/458384	16	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472603- 140673	S1.1607043 - 0.9631354	slick.picture.motored	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	14.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458392	17	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472606- 140676	S1.1607340 - 0.9630789	energy.credit.offerings	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	10.0m	60cm	* Crown - Other Considerations - Removed neighbouring tree likely to increase wind exposure * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458404	20	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472614- 140682	S1.1607902 - 0.9629703	sporting.belly.dentures	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	8.0m	60cm	* Asymmetrical crown - Removed neighbouring tree likely to increase wind exposure * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458424	21	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472617- 140684	S1.1608078 - 0.9629314	wept.yachting.helper	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	8.0m	40cm	* Asymmetrical crown - Removed neighbouring tree likely to increase wind exposure * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458408	22	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472617- 140687	S1.1608335 - 0.9629187	servicing.showed.declining	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	17.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458412	23	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472620- 140689	S1.1608551 - 0.9628763	bronzed.rash.ipen	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458416	24	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472623- 140691	S1.1608724 - 0.9628444	protest.landscape.addicted	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458420	25	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472625- 140694	S1.1608962 - 0.9628556	reassured.cutlets.music	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458428	26	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472622- 140688	S1.1608385 - 0.9628601	swerving.broke.safest	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	8.0m	55cm	* Asymmetrical crown * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458432	27	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472632- 140700	S1.1609451 - 0.9627102	pupils.bypasses.wifless	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	15.0m	50cm	* Cracked & lifting bark Die back whole crown * Decay - major basal * Leaves small or discoloured * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Major dead wood >50mm * Minor dead wood <50mm * Sparse crown	Poor	* Sever ivy to 1.5m agl reporting all structural defects * Remove dead and diseased wood	High Priority	14/05/2026	May 2027
Sgl/458436	28	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472645- 140710	S1.1610402 - 0.9625212	torch.shaving.rotations	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458440	29	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472651- 140713	S1.1610459 - 0.9624377	centuries.destined.pulled	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458448	30	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472651- 140716	S1.1610916 - 0.9624398	ragging.hazel.modules	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	8.0m	40cm	* Asymmetrical crown * Leaves small or discoloured - Leaves curling * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458452	32	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472657- 140720	S1.1611215 - 0.9623422	appealing.camera.wheels	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	8.0m	60cm	* Asymmetrical crown * Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029
Sgl/458456	33	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472657- 140722	S1.1611446 - 0.9623408	landlords.fenced.withdrew	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2026	May 2029


Sgl/458460	34	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472665- 140725	S1.1611678 - 0.9622382	scorched.blanks.raking	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	8.0m	45cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458464	35	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472670- 140736	S1.1612648 - 0.9621556	playful.sweetener.punt	* Grass * Public access: high	Quercus robur (English Oak)	1	9.0m	6.0m	35cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458468	36	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472675- 140736	S1.1612674 - 0.9620815	riches.clincher.judges	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458472	37	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472677- 140740	S1.1612990 - 0.9620580	routine.lardship.waving	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458476	38	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472680- 140743	S1.1613277 - 0.9620138	jettliner.haggling.guitar	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458480	39	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472692- 140749	S1.1613811 - 0.9618441	dabble.decoding.handbag	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	12.0m	60cm	* Minor dead wood <50mm * Raised roots/butressing	Fair	* No work required	No action required	14/05/2024	May 2029
Sgl/458484	40	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472694- 140752	S1.1614094 - 0.9618129	rant.goat.pink	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	10.0m	40cm	* Minor dead wood <50mm * Raised roots/butressing	Fair	* No work required	No action required	14/05/2024	May 2029
Sgl/458488	41	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472703- 140759	S1.1614730 - 0.9616883	launcher.dignitary.dine	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	16.0m	12.0m	60cm	* Ivy or climbing plants - Main stem * Minor dead wood <50mm * Narrow forks with included bark	Fair	* No work required	No action required	14/05/2024	May 2029
Sgl/458492	42	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472719- 140773	S1.1615972 - 0.9614534	fear.wake.fatherly	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	19.0m	12.0m	80cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Codominant stems - Bifurcation at 1.7m	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458496	43	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472722- 140777	S1.1616336 - 0.9614090	correct.snoozing.meaty	* Grass * Public access: high	Quercus robur (English Oak)	1	7.0m	5.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458500	44	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472724- 140779	S1.1616514 - 0.9613780	bulion.spilled.stable	* Grass * Public access: high	Quercus robur (English Oak)	1	7.0m	5.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458504	45	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472730- 140785	S1.1617033 - 0.9612879	segmented.fades.oblige	* Grass * Public access: high	Quercus robur (English Oak)	1	10.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Narrow forks with included bark	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458508	46	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472740- 140792	S1.1617652 - 0.9611476	polished.gazette.defectors	* Grass * Public access: high	Alnus cordata (Italian Alder)	1	19.0m	12.0m	80cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Codominant stems - Bifurcation at 1.5m	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458512	47	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472741- 140794	S1.1617825 - 0.9611272	motion.catch.promoting	* Grass * Public access: high	Quercus robur (English Oak)	1	8.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Suppressed	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458520	48	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472747- 140798	S1.1618159 - 0.9610505	vehicle.mugs.umbrellas	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	14.0m	12.0m	60cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Raised roots/butressing	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458516	49	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472754- 140805	S1.1618807 - 0.9609391	distracts.motor.intervene	* Grass * Public access: high	Platanus x hispanica (London Plane)	1	12.0m	10.0m	50cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Narrow forks with included bark	Fair	* Sever ivy to 1.5m agl reporting all structural defects - Sever ivy at ground level and remove ivy from stem upto 1.5M agl	High Priority	14/05/2024	May 2029
Sgl/458572	50	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472690- 140904	S1.1627797 - 0.9618450	codes.barrel.deliver	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458568	51	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472686- 140909	S1.1628218 - 0.9618937	computers.softly.level	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458564	52	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472681- 140916	S1.1628822 - 0.9619632	scatter.refreshed.studs	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458560	53	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472678- 140921	S1.1629293 - 0.9620074	presented.many.estimate	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Typical of species and age	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458556	54	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472672- 140928	S1.1629942 - 0.9620836	standard.boards.lookout	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Decay - major basal - Occluding wounds, possibly removed stem * Multi-stemmed * Typical of species and age	Fair	* No work required	No action required	15/05/2024	May 2027
Sgl/458552	55	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472669- 140934	S1.1630457 - 0.9621341	revision.providing.elastic	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	50cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age * Possible wildlife	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458548	56	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472667- 140942	S1.1631228 - 0.9621637	ties.spine.seeing	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	60cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458544	57	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472663- 140940	S1.1630986 - 0.9622140	divided.argued.basher	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Multi-stemmed * Typical of species and age * Possible wildlife	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458536	58	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472660- 140945	S1.1631472 - 0.9622540	mandates.jettied.continued	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Multi-stemmed * Typical of species and age	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458540	59	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472663- 140947	S1.1631628 - 0.9622179	tripped.strutting.sweetly	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Multi-stemmed * Typical of species and age	Fair	* No work required	No action required	15/05/2024	May 2029
Sgl/458532	60	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472658- 140952	S1.1632150 - 0.9622882	annotated.firebird.lifeboats	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	15/05/2024	May 2029


Sgl/458576	61	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472653-140959	S1.1632765 - 0.9623585	clocked,cheese.offstage	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	2	16.0m	10.0m	50cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Narrow forks with included bark * Codominant stems * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458580	62	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472650-140964	S1.1632719 - 0.9623985	templates,essays,betrayed	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	7.0m	5.0m	30cm	* Ivy or climbing plants - Main stem * Low branches * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458584	63	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472646-140969	S1.1633673 - 0.9624481	beak.stores.functions	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Narrow forks with included bark * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458588	64	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472644-140972	S1.1633968 - 0.9624832	track.porridge.replays	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	12.0m	7.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458592	65	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472641-140978	S1.1634450 - 0.9625293	slower.chess.domestic	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	12.0m	7.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458596	66	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472636-140986	S1.1635186 - 0.9625966	pillows,toasters.gain	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	50cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Narrow forks with included bark * Codominant stems * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458600	67	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472631-140991	S1.1635663 - 0.9626697	lyricism.overhead.extension	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458604	68	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472627-140995	S1.1636058 - 0.9627246	sprouted.shiver.roofed	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458608	69	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472633-140995	S1.1635973 - 0.9626314	scarecrow.motivations.bride	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	50cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Codominant stems * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458612	70	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472628-141001	S1.1636561 - 0.9626991	water.rejoins.cured	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	50cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458616	71	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472623-141007	S1.1637117 - 0.9627720	exacts.matrons.smirking	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	10.0m	50cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Low branches * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458620	72	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472618-141012	S1.1637552 - 0.9628514	date.query.lified	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	12.0m	6.0m	40cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Typical of species and age * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458624	73	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472618-141016	S1.1637941 - 0.9628506	broadens.swerving.round	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	6.0m	3.0m	20cm	* Die back isolated * Major dead wood >50mm - Low target frequency * Minor dead wood <50mm	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458628	74	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472614-141018	S1.1638144 - 0.9629067	result.honey.drumbeat	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	12.0m	8.0m	30cm	* Ivy or climbing plants - Main stem * Ivy restricting full inspection - Main stem * Codominant stems * Typical of species and age * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458632	75	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472611-141020	S1.1638263 - 0.9629492	refrain.balconies.causes	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458636	76	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472611-141026	S1.1638812 - 0.9629480	looks.identify.impact	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	16.0m	7.0m	40cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Sparse crown * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458640	77	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472609-141027	S1.1638929 - 0.9629731	closed.bulletins.pounding	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	2	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Low branches * Codominant stems * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458644	78	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472606-141032	S1.1639371 - 0.9630114	mirroring.panic.swerves	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	12.0m	8.0m	38cm	* Mechanical damage to roots * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458648	79	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472603-141037	S1.1639825 - 0.9630506	frock.backfired.wing	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	12.0m	8.0m	36cm	* Minor dead wood <50mm * Raised roots/bulbousing * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458652	80	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472601-141039	S1.1640042 - 0.9630780	backswing.envoy.appealed	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Narrow forks with included bark * Codominant stems * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458660	81	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472591-141056	S1.1641580 - 0.9632194	recovery.forum.somewhere	* Dense under growth * Public access: low	Platanus x hispanica (London Plane)	1	10.0m	8.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458664	82	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472592-141054	S1.1641398 - 0.9632068	recovery.forum.somewhere	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	13.0m	8.0m	40cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458656	83	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472600-141041	S1.1640208 - 0.9630968	backswing.envoy.appealed	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	7.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Low branches * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458676	84	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472599-141044	S1.1640435 - 0.9631156	crystal.headboard.texted	* Dense under growth * Public access: low	Alnus cordata (Italian Alder)	1	12.0m	8.0m	40cm	* Ivy or climbing plants - Main stem - High ecological value * Ivy restricting full inspection - Main stem * Minor dead wood <50mm * Possible wildlife	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/458672	85	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472597-141046	S1.1640656 - 0.9631342	crossing.fishnet.headline	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	8.0m	6.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029


Sgl/458668	86	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	North East boundary	No Tag Found	472596- 141048	51.1640795 - 0.9631505	loser.scored.bedroom	* Dense under growth * Public access: low	Aesculus hippocastanum (Horse Chestnut)	1	12.0m	8.0m	45cm	* Ivy or climbing plants - Main stem * Low branches * Narrow forks with included bark * Typical of species and age	Fair	* No work required	No action required	15/05/2026	May 2029
Sgl/863000	87	Anstey Park Extension, Anstey Park Alton GU34 2NB - Additional Site	Adj Eggar's School sports field	No Tag Found	472726- 140782	51.1616739 - 0.9613484	horns.hides.scans	* Dense under growth * Public access: low	Sorbus aucuparia (Rowan)	1	8.0m	4.0m	30cm	* Basal and trunk suckers * Ivy or climbing plants - Main stem	Fair	* No work required	No action required	14/05/2026	May 2029

Priority	Priority Key (incl timescale) Colour	Timescale
No action required		No Timescale
Low Priority		24 Months
High Priority		12 Months
Urgent- Public safety		1 Month

Appendix 2: Tree Location Plans









Simon Rogers
Head of Surveying – UK Wide
T: 0345 873 1500
E: simon.rogers@gristwoodandtoms.co.uk

Gristwood and Toms
Harris Lane, Shenley, Radlett
Hertfordshire, WD7 9EG

[www.nurture-group.co.uk/our-brands/
gristwood-and-toms/](http://www.nurture-group.co.uk/our-brands/gristwood-and-toms/)