

Tree Survey Report

Site Address

St Lawrence
Alton
GU34 2BU

Report No.

G&TS/SR/0358

Site Surveyed by

Steven Lamb

Report Prepared by


Simon Rogers

Approved by

Stuart Campbell FdSc (Arb) MArborA

Date

20th July 2026



Contents

1. Introduction	3
1.1 Assignment	3
1.2 Documents and Information Provided	3
1.3 Scope of This Report	3
1.4 Limitations of Use	3
2. Site Visit Observations	3
3. Identification and Location of Trees	3
4. Observations	4
5. Works Priority	4
6. Recommendations	5
7. Future Considerations	6
8. Other Considerations	6
8.1 Trees subject to statutory controls	6
9. Reference Material	6
10. Survey Certification	7
11. Appendix 1: Glossary of Arboricultural Terminology	8
12. Appendices 2 & 3:	13
• Tree Schedule – Priority Works	13
• Tree Location Plan	13



1. Introduction

1.1 Assignment

Gristwood & Toms (a Nurture Group Company) has been instructed by Alton Town Council to carry out a survey of the trees within the grounds of **St Lawrence, Alton, GU34 2BU**. Where appropriate, we are to make recommendations on the immediate and future management in the interest of safety.

1.2 Documents and Information Provided

No documents or information was provided

1.3 Scope of This Report

This report solely relates to the trees that Steven Lamb surveyed on 18th May 2026.

1.4 Limitations of Use

The content and format of this report are for the exclusive use of the addressee in dealing with this site. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without the written consent of Gristwood & Toms.

2. Site Visit Observations

An unaccompanied site visit of St Lawrence, Alton, GU34 2BU was carried out by Steven Lamb on 18th May 2026. The trees were inspected using the Visual Tree Assessment (VTA) methodology described by Claus Mattheck and Helge Breloer in *The Body Language of Trees* (1994). Stationery Office Books (TSO) and endorsed by the Arboricultural Association (LANTRA Professional Tree Inspection course, 2007).

All observations were from ground level without detailed investigations. All dimensions were estimated unless otherwise indicated. The weather at the time of the survey was warm and sunny with good visibility.

3. Identification and Location of Trees

The survey schedule lists the species, based on visual observation, giving the scientific and common names of the tree. The tree survey schedule is included in the appendices of this report.



4. Observations

There were **36 trees** in total inspected on the site. **0 trees** were identified to be in a good condition. **33 trees** were identified to be in a fair condition. **1 tree** was identified to be in a poor condition. **2 features** were identified as stumps.

5. Works Priority

Urgent – Public Safety

Works are urgently required to make safe a tree that has been identified as dead/structurally unsound and is putting public safety at risk.

These works are recommended to be completed within **1 month**.

High Priority

Works may be required for the following reasons:

To keep the highways infrastructure (e.g., streetlights and road signs) clear of obstructions and maintain sight lines for vehicles or pedestrians.

To abate an actionable nuisance (e.g., branches damaging windows and gutters).

When an inspection has identified visible decay, fungal brackets, or other structural defects.

To reduce a significant overhang of tree branches into an adjacent property.

When previous maintenance regimes have determined that future works are of the same specification for that specimen (e.g., pollarding and crown reduction).

These works are recommended to be completed within **12 months**.

Low Priority

Works may be carried out on a cyclic pruning regime to provide long term health and safety benefits to the tree.

These works are recommended to be completed within **24 months**.

No Action Required

Where a tree's health and condition indicate no works are required at the time of inspection.

The presence of any defect will increase the chances of failure. Each species has its own profile of defects. Some factors that must be considered include the species growth habit, tree

condition, branch attachments, resistance to decay, condition of anchoring roots, cultural or maintenance history and previous damage.



Failure Potential	Urgent – Public Safety	High Priority	Low Priority	No Action Required
Works Within 1 Month	0			
Works Within 12 Months		6		
Works Within 24 Months			1	
No Action Required				29

6. Recommendations

Recommendations have been made for tree works in line with sound Arboricultural management and it is recommended that the works are undertaken within the suggested timescales.

There are **0 trees**, or **tree groups** identified that require **Urgent – Public Safety** tree work. It is recommended that the works should be completed within the next **1 month**.

There are **6 trees** identified that require **High Priority** tree work. It is recommended that the works should be completed within the next **12 months**.

There is **1 tree** identified that requires **Low Priority** tree work. It is recommended that the works should be completed within the next **24 months**.

There are **29 trees** were identified as **No Action Required**.

All recommended tree works are to be carried out in accordance with BS 3998:2010 – Tree Work Recommendations.

Nesting Birds: Any recommended tree works should be undertaken outside the bird nesting season (1st March to 31st August); however, it should be assumed that birds will nest before and after this period. A wildlife assessment should be carried out immediately prior to the commencement of works. This will inform on whether there are nesting birds and if works on a specific tree can proceed without harming any birds.

Bats: Prior to commencing aerial works or felling, the arborists should carry out a visual assessment for the potential for bat habitation. If there is a possibility of bats using a tree for roosting, the Commissioning Officer (Agent) should be contacted and works to the tree suspended until an ecologist has visited the site to provide advice on whether works can proceed without any risk of harm to bats.



7. Future Considerations

Trees are living organisms whose health and condition can change rapidly; therefore, the health, condition and safety of trees should be checked on a regular basis.

When the recommended tree work has been carried out, it is suggested that an inspection regime is introduced so that the subject trees are inspected on a **24-monthly cycle**, unless otherwise indicated within Appendix 2: Tree Schedule – Priority Works of this report.

8. Other Considerations

8.1 Trees subject to statutory controls

If any trees are covered by a Tree Preservation Order or located in a conservation area it will be necessary to consult the local authority before any tree work can be carried out. The works specified above are necessary for reasonable management and should be acceptable to the local authority.

9. Reference Material

Wilson, P. (n.d.). *Tree Terms - Arboricultural definitions*. [online] A-Z of tree terms: A companion to British arboriculture. Available at: <http://www.treeterms.co.uk/>.

Johnson, O. and More, D. (2006). *Collins tree guide*. London: Collins.

C Mattheck (2007). *Updated field guide for visual tree assessment*. Karlsruhe: Forschungszentrum Karlsruhe.

Claus Mattheck, Helge Breloer and Britain., G. (1994). *The Body Language of Trees*. Stationery Office Books (TSO).

Lonsdale, D. (1999). *Principles of Tree Hazard Assessment and Management*. Stationery Office Books (TSO).

Strouts, R.G., Winter, T.G. and Great Britain. Forestry Commission (2004). *Diagnosis of ill-health in trees*. Norwich: TSO.

Guy, W. (2014). *Tree pests and diseases: an arborists' field guide*. Stonehouse, Gloucestershire: Arboricultural Association.

Watson, G., Green, T. and Arboricultural Association (2011). *Fungi on trees: an arborists' field guide*. Stonehouse, Gloucestershire: Arboricultural Association, Cop.

British Standards Institution (2010). *BS 3998:2010 Tree Work – Recommendations*. London: BSI.



10. Survey Certification

Site Surveyed By:

Steve Lamb

Report Completed By:

Simon Rogers

Report Approved By:

Stuart Campbell FdSc (Arb) MArborA.

Date:

20th July 2026



11. Appendix 1: Glossary of Arboricultural Terminology

Ash Dieback	Ash dieback is a disease that affects ash trees (<i>Fraxinus spp.</i>), caused by a fungus called <i>Hymenoscyphus fraxineus</i> . The fungus blocks water transportation within the tree, leading to bark lesions, leaf loss and dieback of the crown.
Asymmetrical Crown	Unbalanced crown often resulting from storm damage, uneven pruning work or the proximity of neighbouring trees.
Bark exudate	A flow of viscous liquid (bleeding from bark) exuded onto the surface of the bark from the underlying tissues consisting of largely of <i>gum</i> , <i>resin kino</i> or <i>latex</i> depending on the species of tree. Bark exudate indicates the inner bark is dead, dying, or injured owing to disease, physical injury, root damage etc.
Branch Stub	That part of a decapitated or broken branch protruding beyond the branch collar, sometimes called a snag. It is considered not good pruning practice to leave stubs. Branch stubs may give rise to unwanted epicormic shoots or may lack vigour and subsequently die back, making them prone to decay.
Brown rot	Form of decay where cellulose is degraded, while lignin is only modified.
Buttress root	Roots that emerge from the base of the tree stem, normally large and well developed and rapidly forming the connection between the stem and the transport roots.
Cambium	A thin layer of actively growing and dividing cells, located between the xylem (sapwood) and the bark of a plant, the part responsible for radial growth of a tree stem or branch.
Canker	A localised area of dead bark and cambium on a stem or branch, caused by fungal or bacterial organisms, characterised by wound wood development on the periphery. This may be annual or perennial.
Co-dominant stem/ trunk	Forked branches or trunks of nearly the same size in diameter and lacking a normal branch union.
Compartmentalisation	The physiological process that creates the chemical and mechanical boundaries that act to limit the spread of disease and decay organisms.
Conservation area	Designated areas of architectural or historical interest, in which there are special procedures for planning applications. Additionally, tree works cannot generally, be undertaken without prior notification to the relevant local planning authority.



Crown lifting	Crown lift the removal of the lowest branches, usually to a given height. It allows more residual light and greater clearance underneath for vehicles etc.
Crown reduction	The reduction of a tree's height or spread while preserving the tree's natural shape.
Crown thinning	The removal of some of the density of a tree's crown, usually 5-25% allowing more light through its canopy and reducing wind resistance.
Deadwood	Deadwood is often present within the crown or on the stems of trees. It may be an indication of ill health; however, it may also indicate growth processes. If a target beneath the tree, deadwood may fall and cause injury or damage and should be removed, otherwise deadwood can remain intact for conservation purposes (insects, fungi, birds etc), also, the removal of dead branches from a tree's canopy, usually of a specified size (in diameter).
Decay	Progressive deterioration of organic tissues, usually caused by fungal or bacterial organisms, resulting in loss of cell structure, strength, and function. In wood, the loss of structural strength.
Epicormic growth	Fast growing, weakly attached shoots/branches that often grow as a response to stress factors upon a tree or branch removal.
Formative pruning	The trimming of a tree to remove weaknesses and irregularities which may lead to problems. The formative pruning operation is aimed at reducing the potential for future weaknesses or problems within the tree's crown.
Girdling Root	In woody plants, a root that grows across the buttress, or across other roots, eventually causing constriction of the radial growth.
Hazard Beam	An upwardly curved branch in which strong internal stresses may occur without the compensatory formation of extra wood (longitudinal splitting may occur in some cases).
Horse Chestnut Bleeding Canker	Formally attributed to <i>Phytophthora</i> spp. thought to be responsible for 5-10% of cases but following an upsurge of the disease it is now mostly attributed to the bacterium ' <i>Pseudomonas syringae</i> pv. <i>Aesculi</i> '. Horse Chestnut Bleeding Canker kills the bark, resulting in conspicuous bleeding that dries into a black bark exudate. Branches and trees, including young trees, can be completely girdled resulting in the death of the tree.
Included Bark	Bark that becomes embedded in a crotch between branch and trunk or between co-dominant stems, found in narrow or tight crotches, and causes a weak structure.
Massaria	<i>Massaria</i> (<i>Splanchnonema platani</i>) is a disease of London Plane (<i>Platanus x hispanica</i> , also known as <i>Platanus x acerifolia</i>) which causes large lesions on the upper surfaces of major branches and branch dieback and can cause branches to break off the tree and fall.



Monolith	Retaining a standing stem for wildlife habitat or conservation purposes at any given height. The height a monolith is left at is often determined by the proximity to any given target to be less than the falling distance to that target.
Oak Processionary Moth	A cause of defoliation, especially of oaks and trees of other species growing next to defoliated oaks. Eggs are laid within the outer crown of the host tree in late summer and hatch the following spring. The larvae feed on the leaves and often move head-to-tail in a procession, hence their common name. They make communal nests (sometimes called tents) out of silken thread in which they shelter when not feeding. Nests may be spun on the underside of a branch or on the trunk. The hairs of (later stage) larvae are a serious irritant and may provoke an allergic reaction. They easily break off, or are shed when the caterpillars are disturbed, to be dispersed in the air, as well as their abandoned nests, should be treated with extreme caution. Every year oaks in public places are surveyed for OPM and treated with insecticide. Private tree owners may be responsible for their own survey and control, potentially enforced by a plant health notice or the powers of the local authority.
Occluding tissue	The general term of wood, cambium and bark that develop around the site of a wound on a woody plant.
Phytophthora spp.	Phytophthora is a genus of water molds that cause devastating diseases in trees, affecting roots, stems, and foliage. Several species, like <i>Phytophthora ramorum</i> (which causes Ramorum disease), <i>Phytophthora lateralis</i> , and <i>Phytophthora kernoviae</i> , are known to be highly destructive. These pathogens can lead to root rot, stem cankers, dieback, and ultimately, death of the host tree.
Picus Tomography	PiCUS testing is a non-invasive method of determining the extent of decay in trees. The PiCUS Sonic Tomograph is an instrument that can detect decay in trees by taking readings of the velocity of soundwaves through the trunk/stem from several sensors, installed with small nails around the trunk, which are each struck to pass sound through the trunk/stem. These readings are used to create a tomogram, which shows the consistency of the wood within the tree and identifies area/s of decay.
Pollard/Re-Pollard	The complete or partial removal of the crown of a young tree so as to encourage the development of numerous branches either for amenity or historically as fodder, repeated management is required cyclically to maintain the feature.
Resistograph	The Resistograph equipment is a drill-based tool using a stainless-steel drill bit that is approx. 1/16 inch in diameter and about 20 inches in length and is used to establish the strength of wood, without the need for destructive testing. As the subject tree is drilled, sound wood being denser than decayed wood offers greater resistance to the drill bit as it passes through the wood. This resistance is recorded electronically across the radius of the section being tested. The depth of drilling is dependent on the drill length and dimension of the tree part



being tested. The measurement depth is recorded in centimetres while the amplitude (resistance) reading is given as a percentage across a range of 0 to 100%. The readings allow the Arboriculturalist to assess the internal condition of the subject tree.

Root collar	The basal area of the tree; transition zone from trunk to root. Also sometimes called trunk flare.
Scaffold limbs / scaffold branches	The branches that form the main network framework of the crown of a tree.
Sever ivy and re-inspect	Cut or sever a band of ivy from ground level to a defined height, usually 1.5m above ground level to allow for the inspection and reporting of the base of the tree. Severing ivy also allows the ivy above to die back over a period of time to facilitate future inspections.
Slime Flux	Relating to a toxic condition from the spreading of bacteria or their products from a source of infection: characterised by malodorous gases, or salt deposits upon the bark. Should these enter the sap stream, localised vessel necrosis can result.
Soft rot	A kind of wood decay, where a fungi degrades cellulose within the cell wall, without causing overall degradation.
Sooty Bark Disease	Cryptostroma corticale (Sooty bark disease) is a species of fungus that causes sooty bark disease of maples, particularly sycamore (<i>Acer pseudoplatanus</i>). The spores grow in large amounts under the bark of affected trees or stacked allergenic and cause a debilitating pneumonitis (inflammation of the lungs) in humans.
Stag-head/heading	The outer branches of a tree that have died and now tend to protrude beyond the present extent of the crown.
Subsidence	In relation to vegetation, the removal of water by plant growth resulting in localised shrinkage in the soil volume.
Suppressed	Trees which are dominated by surrounding vegetation and whose crown development is restricted from above.
Tight Union / Tight Crotch	A crotch with a narrow angle between branches, often having included bark.
Tree Preservation Order	An order made by the local planning authority, where consent must be gained before undertaking all but exempt works to a tree.
Visual Tree Assessment (VTA)	An assessment of the mechanical condition of trees based upon their 'body language'. Trees are dynamic and respond to faults / decay / environmental factors in various ways, these responses can be indicative of structural integrity.



Wetwood

An infection caused by bacteria living inside the plant tissues. The bacteria ferment the plant fluids, resulting in death of nearby cells, and often causing exudations of fluid from the bark, often referred to as a Slime Flux.

White Rot

A type of wood decay where fungi attacks the lignin within the wood matrix.



12. Appendices 2 & 3:

- **Tree Schedule – Priority Works**
- **Tree Location Plan**



Appendix 1: Tree Schedule




Feature Type / Tree Code	Tree Seq.no	Store code & name/Location	Tree Location within site	Tree tag number	Geo-location Data			Site features	Tree species (Common Name)	No. of stems	Tree Dimensions			Tree defects	Condition	Recommendations	Priority	Date of inspection	Date of next inspection
					O/S Grid Reference	Latitude - Longitude	What3Words				Height (m) (Approx.)	Crown spread (m) (Approx.)	Stem diameter at breast height (cm) (measured)						
Sg/358288	1	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471657-139570	51.1509104 - 0.9768715	rocket.almost.somewhere	* Grass * Public access: high	Prunus cerasifera 'Pissardii' (Purple-leaved Plum)	1	3.0m	1.0m	6cm	* Mechanical damage to base of tree * Typical of species and age	Fair	* Young tree maintenance - Remove grass 50cm radial to stem to a depth of 5cm, replace with woodchip mulch to a depth of 8-10cm	High Priority	18/05/2026	May 2029
Sg/358292	2	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471675-139586	51.1510586 - 0.9766133	projects.removals.functions	* Grass * Public access: high	Crataegus monogyna (Hawthorn)	1	3.0m	2.0m	16cm	* Die back isolated - Top of crown	Poor	* No work required	No action required	18/05/2026	May 2029
Sg/358296	3	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471680-139595	51.1511376 - 0.9765427	clays.leaflet.boomed	* Grass * Public access: high	Crataegus spp. (Thorn species)	1	4.0m	2.5m	16cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358300	4	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471687-139609	51.1512603 - 0.9764413	scrub.shins.hypnotist	* Grass * Public access: high	Malus spp. (Apple species)	1	3.0m	2.0m	12cm	* Typical of species and age	Fair	* Young tree maintenance - Formative prune in accordance of BS3998:2010 standards, remove stake and tie	High Priority	18/05/2026	May 2029
Sg/358304	5	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471705-139619	51.1513441 - 0.9761714	insulated.amplifier.toothpick	* Grass * Public access: high	Taxus baccata (Common Yew)	4	7.0m	6.0m	20cm	* Low branches * Multi-stemmed * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358428	6	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471722-139632	51.1514623 - 0.9759393	beakJure.undertone	* Grass * Public access: high	Cedrus atlantica 'Glaucia' (Blue Atlas Cedar)	1	4.0m	3.0m	14cm	* Asymmetrical crown * Low branches * Trunk defect - Rootplate movement. Possible subsidence from previous tree removal	Fair	* Young tree maintenance - Installation of stake and tie North aspect	High Priority	18/05/2026	May 2029
Sg/358424	7	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471721-139642	51.1515541 - 0.9759450	expectant.chemistry.wipe	* Grass * Public access: high	Fagus sylvatica purpurea (Purple Beech)	1	11.0m	10.0m	47cm	* Low branches * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358340	8	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471670-139564	51.1508567 - 0.9766929	lemmings.geek.rider	* Footpath Damage (Minor) * Grass * Public access: high	Acer pseudoplatanus (Sycamore)	1	18.0m	16.0m	100cm	* Minor dead wood <50mm * Regrown pollard or topped tree - Historic pollard * Raised roots/bulftressing	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358308	9	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471678-139567	51.1508860 - 0.9765806	products.passing.retailing	* Grass * Public access: high	Prunus Dawyckensis (Cherry species)	1	4.5m	3.0m	35cm	* Historic pruning wounds * Leaning tree * Suppressed	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358312	11	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471689-139573	51.1509323 - 0.9764137	rents.abruptly.stung	* Grass * Public access: high	Amelanchier spp. (Snowy Mespil)	1	3.0m	2.0m	10cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358328	15	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471687-139578	51.1509852 - 0.9764395	contived.sweeter.game	* Grass * Public access: high	Crataegus monogyna (Hawthorn)	1	3.0m	2.0m	10cm	* Basal and trunk suckers * Bark wound over 20% of stem - Strimmer damage	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358336	16	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471681-139583	51.1510255 - 0.9765286	oblige.rescue.reprints	* Grass * Public access: high	Quercus robur (English Oak)	1	20.0m	17.0m	110cm	* Historic pruning wounds * Mqjar dead wood >50mm * Minor dead wood <50mm * Raised roots/bulftressing	Fair	* Remove dead and diseased wood	High Priority	18/05/2026	May 2029
Sg/358332	17	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471711-139581	51.1510009 - 0.9766996	closer.stone.stammer	* Footpath Damage (Minor) * Grass * Public access: high * Street lamp	Acer pseudoplatanus (Sycamore)	1	14.0m	10.0m	80cm	* Cavity - Concrete filled cavity at historic pollard point South aspect and cavity located approx 5m above ground level North aspect * Historic pruning wounds * Minor dead wood <50mm * Evidence of recent major surgery - Recently crown reduced * Regrown pollard or topped tree - Historic pollard	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358344	18	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471725-139587	51.1510529 - 0.9758924	fakes.softest.limporing	* Grass * Public access: high	Ilex x altacirensis 'Golden King' (Variegated Holly)	1	4.5m	3.5m	23cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358348	19	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471722-139580	51.1509918 - 0.9759444	somewhere.device.score	* Grass * Public access: high	Sequoiadendron giganteum (Giant Redwood)	1	20.0m	8.0m	150cm	* Low branches * Trunk defect - Metal bracket located approx 4m above ground level, North aspect * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358408	20	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471728-139577	51.1508674 - 0.9758516	basic.easily.folds	* Grass * Public access: high	Sequoiadendron giganteum (Giant Redwood)	1	20.0m	8.0m	150cm	* Trunk defect - Metal bracket located approx 4m above ground level, North aspect and electrical cables South aspect * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358352	21	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471735-139575	51.1509446 - 0.9757639	loopholes.resist.tonight	* Grass * Public access: high	Sequoiadendron giganteum (Giant Redwood)	1	20.0m	8.0m	150cm	* Low branches * Trunk defect - Metal bracket located approx 4m above ground level, North aspect * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358356	22	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471741-139581	51.1510031 - 0.9756656	crisps.able.frail	* Grass * Public access: high	Ilex x altacirensis 'Golden King' (Variegated Holly)	1	4.5m	3.5m	22cm	* Bark wound over 20% of stem - No audible sign of cavitation	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358360	23	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471742-139572	51.1509163 - 0.9756554	anchovies.consoles.condense	* Grass * Public access: high	Sequoiadendron giganteum (Giant Redwood)	1	18.0m	8.0m	150cm	* Low branches * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358364	24	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471738-139564	51.1508509 - 0.9757188	scripted.reward.stopwatch	* Grass * Public access: high	Ligustrum spp. (Privet species)	1	4.0m	3.0m	14cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358368	25	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471736-139560	51.1508106 - 0.9757477	suiting.clever.adjust	* Grass * Public access: high	Ligustrum spp. (Privet species)	1	5.0m	3.0m	20cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358372	26	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471735-139558	51.1507936 - 0.9757558	incur.flank.armful	* Grass * Public access: high	Stump (Stump)	1	0.1m	0.6m	40cm	* Stump	Stump	* No work required	No action required	18/05/2026	May 2029
Sg/358376	27	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471733-139553	51.1507500 - 0.9757873	punt.registry.mothering	* Grass * Public access: high	Stump (Stump)	1	0.1m	0.6m	40cm	* Stump	Stump	* No work required	No action required	18/05/2026	May 2029
Sg/358380	28	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471732-139550	51.1507200 - 0.9758107	completed.shorter.marathons	* Grass * Public access: high	Ilex aquifolium (Common Holly)	1	9.0m	6.0m	45cm	* Leaning tree - Possible historic root heave, tree now partially supported by neighbouring tree * Typical of species and age	Fair	* Crown lift to 3 metres - Over parking area	High Priority	18/05/2026	May 2029
Sg/358384	29	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471730-139545	51.1506785 - 0.9758414	.dumps.inflame.brochure	* Grass * Public access: high	Taxus baccata (Common Yew)	1	10.0m	6.0m	60cm	* Leaning tree * Mechanical damage to roots * Codominant stems * Bulges in trunk: signs of decay - Oozing wound @ 1magl. No audible sign of cavitation	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/358388	30	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471732-139568	51.1508857 - 0.9758045	miss.project.jeffiner	* Grass * Public access: high	Cupressocyparis leylandii (Leyland Cypress)	1	8.5m	3.5m	35cm	* Low branches * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029

Sgl/358392	31	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471729-139562	51.1508323 - 0.9758397	promises.innocence.aims	* Grass * Public access: high	Cupressocyparis leylandii (Leyland Cypress)	1	9.0m	4.5m	55cm	* Narrow forks with included bark * Codominant stems * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358396	32	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471727-139557	51.1507875 - 0.9758686	hubcaps.wool.hotels	* Grass * Public access: high	Cupressocyparis leylandii (Leyland Cypress)	1	9.0m	3.0m	42cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358400	33	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471725-139552	51.1507421 - 0.9758985	dreading.plugged.exactly	* Grass * Public access: high	Cupressocyparis leylandii (Leyland Cypress)	1	9.0m	3.0m	45cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358404	34	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471725-139547	51.1506961 - 0.9759133	dressing.array.lime	* Grass * Public access: high	Cupressocyparis leylandii (Leyland Cypress)	1	9.0m	3.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358412	35	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471746-139585	51.1510343 - 0.9755925	throwaway.hurry.stressed	* Grass * Public access: high	Prunus spp. (Cherry species)	1	2.5m	2.0m	12cm	* Low branches * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358416	36	St Lawrence, Alton, GU34 2BU	Church yard	No tag found	471744-139595	51.1511279 - 0.9756235	glance.obstinate.ever	* Grass * Public access: high	Prunus spp. (Cherry species)	1	3.0m	2.0m	10cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358444	38	St Lawrence, Alton, GU34 2BU	St Lawrence Primary School play ground	No tag found	471701-139635	51.1514946 - 0.9762362	cabbies.diamond.cascade	* Building within or touching canopy * Public access: high * Tree pit in hard surface	Fagus sylvatica purpurea (Purple Beech)	1	15.0m	14.0m	110cm	* Historic pruning wounds * Major dead wood >50mm * Minor dead wood <50mm * Evidence of recent major surgery * Raised roots/buttressing	Fair	* Remove dead and diseased wood	High Priority	18/05/2026	May 2029
Sgl/358448	39	St Lawrence, Alton, GU34 2BU	St Lawrence Primary School play ground	No tag found	471673-139604	51.1512137 - 0.9766422	folders.splinters.notifying	* Grass * Public access: high * Restricted access (Tree)	Aesculus hippocastanum (Horse Chestnut)	1	12.0m	8.0m	60cm	* Low branches * Minor dead wood <50mm * Raised roots/buttressing * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358456	40	St Lawrence, Alton, GU34 2BU	St Lawrence Primary School play field	No tag found	471653-139602	51.1512008 - 0.9769185	tutored.backers.skewing	* Grass * No access to view base of tree * Public access: high	Acer platanoides 'Crimson King' (Purple Norway Maple)	1	5.5m	6.0m	30cm	* Low branches * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sgl/358452	41	St Lawrence, Alton, GU34 2BU	St Lawrence Primary School play ground	No tag found	471675-139598	51.1511629 - 0.9766093	distracts.recipient.caps	* Grass * Public access: high	Sorbus spp. (Rowan/Whitebeam fam.)	2	5.0m	3.0m	20cm	* Low branches * Multi-stemmed * Typical of species and age	Fair	* Crown lift to 2.5 metres	Low Priority	18/05/2026	May 2029

Priority	Priority Key (incl timescale) Colour	Timescale
No action required		No Timescale
Low Priority		24 Months
High Priority		12 Months
Urgent- Public safety		1 Month

Appendix 2: Tree Location Plans





Simon Rogers
Head of Surveying – UK Wide
T: 0345 873 1500
E: simon.rogers@gristwoodandtoms.co.uk

Gristwood and Toms
Harris Lane, Shenley, Radlett
Hertfordshire, WD7 9EG

[www.nurture-group.co.uk/our-brands/
gristwood-and-toms/](http://www.nurture-group.co.uk/our-brands/gristwood-and-toms/)