

Tree Survey Report

Site Address

Windmill Hill
Alton
GU34 1RQ

Report No.

G&TS/SR/0361

Site Surveyed by

Steven Lamb

Report Prepared by


Simon Rogers

Approved by

Stuart Campbell FdSc (Arb) MArborA

Date

21st July 2026



Contents

1. Introduction	3
1.1 Assignment	3
1.2 Documents and Information Provided	3
1.3 Scope of This Report	3
1.4 Limitations of Use	3
2. Site Visit Observations	3
3. Identification and Location of Trees	3
4. Observations	4
5. Works Priority	4
6. Recommendations	5
7. Future Considerations	6
8. Other Considerations	6
8.1 Trees subject to statutory controls	6
9. Reference Material	6
10. Survey Certification	7
11. Appendix 1: Glossary of Arboricultural Terminology	8
12. Appendices 2 & 3:	13
• Tree Schedule – Priority Works	13
• Tree Location Plan	13



1. Introduction

1.1 Assignment

Gristwood & Toms (a Nurture Group Company) has been instructed by Alton Town Council to carry out a survey of the trees within the grounds of **Windmill Hill, Alton, GU34 1RQ**. Where appropriate, we are to make recommendations on the immediate and future management in the interest of safety.

1.2 Documents and Information Provided

No documents or information was provided

1.3 Scope of This Report

This report solely relates to the trees that Steven Lamb surveyed on 18th May 2026.

1.4 Limitations of Use

The content and format of this report are for the exclusive use of the addressee in dealing with this site. It may not be sold, lent, hired out or divulged to any third party not directly involved in this site without the written consent of Gristwood & Toms.

2. Site Visit Observations

An unaccompanied site visit of Windmill Hill, Alton, GU34 1RQ was carried out by Steven Lamb on 18th May 2026. The trees were inspected using the Visual Tree Assessment (VTA) methodology described by Claus Mattheck and Helge Breloer in *The Body Language of Trees* (1994). Stationery Office Books (TSO) and endorsed by the Arboricultural Association (LANTRA Professional Tree Inspection course, 2007).

All observations were from ground level without detailed investigations. All dimensions were estimated unless otherwise indicated. The weather at the time of the survey was warm and sunny with good visibility.

3. Identification and Location of Trees

The survey schedule lists the species, based on visual observation, giving the scientific and common names of the tree. The tree survey schedule is included in the appendices of this report.



4. Observations

There were **57 features** in total inspected on the site. Of the 57 features inspected, **44 features** were identified as individual trees, and **13 features** were identified as a tree groups.

Of the **44 individual trees** inspected on the site, **42 trees** were identified to be in a fair condition. **2 tree** was identified to be in a poor condition.

Of the **13 tree groups** inspected on the site, **13 tree groups** were identified to be in a fair condition.

5. Works Priority

Urgent – Public Safety

Works are urgently required to make safe a tree that has been identified as dead/structurally unsound and is putting public safety at risk.

These works are recommended to be completed within **1 month**.

High Priority

Works may be required for the following reasons:

To keep the highways infrastructure (e.g., streetlights and road signs) clear of obstructions and maintain sight lines for vehicles or pedestrians.

To abate an actionable nuisance (e.g., branches damaging windows and gutters).

When an inspection has identified visible decay, fungal brackets, or other structural defects.

To reduce a significant overhang of tree branches into an adjacent property.

When previous maintenance regimes have determined that future works are of the same specification for that specimen (e.g., pollarding and crown reduction).

These works are recommended to be completed within **12 months**.

Low Priority

Works may be carried out on a cyclic pruning regime to provide long term health and safety benefits to the tree.

These works are recommended to be completed within **24 months**.

No Action Required

Where a tree's health and condition indicate no works are required at the time of inspection.

The presence of any defect will increase the chances of failure. Each species has its own profile of defects. Some factors that must be considered include the species growth habit, tree



condition, branch attachments, resistance to decay, condition of anchoring roots, cultural or maintenance history and previous damage.

Failure Potential	Urgent – Public Safety	High Priority	Low Priority	No Action Required
Works Within 1 Month	0			
Works Within 12 Months		4		
Works Within 24 Months			0	
No Action Required				15

6. Recommendations

Recommendations have been made for tree works in line with sound Arboricultural management and it is recommended that the works are undertaken within the suggested timescales.

There are **0 trees**, or **tree groups** identified that require **Urgent – Public Safety** tree work. It is recommended that the works should be completed within the next **1 month**.

There are **1 tree**, and **3 tree groups** identified that require **High Priority** tree work. It is recommended that the works should be completed within the next **12 months**.

There are **0 trees**, or **tree groups** identified that require **Low Priority** tree work. It is recommended that the works should be completed within the next **24 months**.

There are **11 trees**, and **4 tree groups** were identified as **No Action Required**.

All recommended tree works are to be carried out in accordance with BS 3998:2010 – Tree Work Recommendations.

Nesting Birds: Any recommended tree works should be undertaken outside the bird nesting season (1st March to 31st August); however, it should be assumed that birds will nest before and after this period. A wildlife assessment should be carried out immediately prior to the commencement of works. This will inform on whether there are nesting birds and if works on a specific tree can proceed without harming any birds.

Bats: Prior to commencing aerial works or felling, the arborists should carry out a visual assessment for the potential for bat habitation. If there is a possibility of bats using a tree for roosting, the Commissioning Officer (Agent) should be contacted and works to the tree suspended until an ecologist has visited the site to provide advice on whether works can proceed without any risk of harm to bats.



7. Future Considerations

Trees are living organisms whose health and condition can change rapidly; therefore, the health, condition and safety of trees should be checked on a regular basis.

When the recommended tree work has been carried out, it is suggested that an inspection regime is introduced so that the subject trees are inspected on a **24-monthly cycle**, unless otherwise indicated within Appendix 2: Tree Schedule – Priority Works of this report.

8. Other Considerations

8.1 Trees subject to statutory controls

If any trees are covered by a Tree Preservation Order or located in a conservation area it will be necessary to consult the local authority before any tree work can be carried out. The works specified above are necessary for reasonable management and should be acceptable to the local authority.

9. Reference Material

Wilson, P. (n.d.). *Tree Terms - Arboricultural definitions*. [online] A-Z of tree terms: A companion to British arboriculture. Available at: <http://www.treeterms.co.uk/>.

Johnson, O. and More, D. (2006). *Collins tree guide*. London: Collins.

C Mattheck (2007). *Updated field guide for visual tree assessment*. Karlsruhe: Forschungszentrum Karlsruhe.

Claus Mattheck, Helge Breloer and Britain., G. (1994). *The Body Language of Trees*. Stationery Office Books (TSO).

Lonsdale, D. (1999). *Principles of Tree Hazard Assessment and Management*. Stationery Office Books (TSO).

Strouts, R.G., Winter, T.G. and Great Britain. Forestry Commission (2004). *Diagnosis of ill-health in trees*. Norwich: TSO.

Guy, W. (2014). *Tree pests and diseases: an arborists' field guide*. Stonehouse, Gloucestershire: Arboricultural Association.

Watson, G., Green, T. and Arboricultural Association (2011). *Fungi on trees: an arborists' field guide*. Stonehouse, Gloucestershire: Arboricultural Association, Cop.

British Standards Institution (2010). *BS 3998:2010 Tree Work – Recommendations*. London: BSI.



10. Survey Certification

Site Surveyed By:

Steve Lamb

Report Completed By:

Simon Rogers

Report Approved By:

Stuart Campbell FdSc (Arb) MArborA.

Date:

21st July 2026



11. Appendix 1: Glossary of Arboricultural Terminology

Ash Dieback	Ash dieback is a disease that affects ash trees (<i>Fraxinus spp.</i>), caused by a fungus called <i>Hymenoscyphus fraxineus</i> . The fungus blocks water transportation within the tree, leading to bark lesions, leaf loss and dieback of the crown.
Asymmetrical Crown	Unbalanced crown often resulting from storm damage, uneven pruning work or the proximity of neighbouring trees.
Bark exudate	A flow of viscous liquid (bleeding from bark) exuded onto the surface of the bark from the underlying tissues consisting of largely of <i>gum</i> , <i>resin kino</i> or <i>latex</i> depending on the species of tree. Bark exudate indicates the inner bark is dead, dying, or injured owing to disease, physical injury, root damage etc.
Branch Stub	That part of a decapitated or broken branch protruding beyond the branch collar, sometimes called a snag. It is considered not good pruning practice to leave stubs. Branch stubs may give rise to unwanted epicormic shoots or may lack vigour and subsequently die back, making them prone to decay.
Brown rot	Form of decay where cellulose is degraded, while lignin is only modified.
Buttress root	Roots that emerge from the base of the tree stem, normally large and well developed and rapidly forming the connection between the stem and the transport roots.
Cambium	A thin layer of actively growing and dividing cells, located between the xylem (sapwood) and the bark of a plant, the part responsible for radial growth of a tree stem or branch.
Canker	A localised area of dead bark and cambium on a stem or branch, caused by fungal or bacterial organisms, characterised by wound wood development on the periphery. This may be annual or perennial.
Co-dominant stem/ trunk	Forked branches or trunks of nearly the same size in diameter and lacking a normal branch union.
Compartmentalisation	The physiological process that creates the chemical and mechanical boundaries that act to limit the spread of disease and decay organisms.
Conservation area	Designated areas of architectural or historical interest, in which there are special procedures for planning applications. Additionally, tree works cannot generally, be undertaken without prior notification to the relevant local planning authority.



Crown lifting	Crown lift the removal of the lowest branches, usually to a given height. It allows more residual light and greater clearance underneath for vehicles etc.
Crown reduction	The reduction of a tree's height or spread while preserving the tree's natural shape.
Crown thinning	The removal of some of the density of a tree's crown, usually 5-25% allowing more light through its canopy and reducing wind resistance.
Deadwood	Deadwood is often present within the crown or on the stems of trees. It may be an indication of ill health; however, it may also indicate growth processes. If a target beneath the tree, deadwood may fall and cause injury or damage and should be removed, otherwise deadwood can remain intact for conservation purposes (insects, fungi, birds etc), also, the removal of dead branches from a tree's canopy, usually of a specified size (in diameter).
Decay	Progressive deterioration of organic tissues, usually caused by fungal or bacterial organisms, resulting in loss of cell structure, strength, and function. In wood, the loss of structural strength.
Epicormic growth	Fast growing, weakly attached shoots/branches that often grow as a response to stress factors upon a tree or branch removal.
Formative pruning	The trimming of a tree to remove weaknesses and irregularities which may lead to problems. The formative pruning operation is aimed at reducing the potential for future weaknesses or problems within the tree's crown.
Girdling Root	In woody plants, a root that grows across the buttress, or across other roots, eventually causing constriction of the radial growth.
Hazard Beam	An upwardly curved branch in which strong internal stresses may occur without the compensatory formation of extra wood (longitudinal splitting may occur in some cases).
Horse Chestnut Bleeding Canker	Formally attributed to <i>Phytophthora</i> spp. thought to be responsible for 5-10% of cases but following an upsurge of the disease it is now mostly attributed to the bacterium ' <i>Pseudomonas syringae</i> pv. <i>Aesculi</i> '. Horse Chestnut Bleeding Canker kills the bark, resulting in conspicuous bleeding that dries into a black bark exudate. Branches and trees, including young trees, can be completely girdled resulting in the death of the tree.
Included Bark	Bark that becomes embedded in a crotch between branch and trunk or between co-dominant stems, found in narrow or tight crotches, and causes a weak structure.
Massaria	<i>Massaria</i> (<i>Splanchnonema platani</i>) is a disease of London Plane (<i>Platanus x hispanica</i> , also known as <i>Platanus x acerifolia</i>) which causes large lesions on the upper surfaces of major branches and branch dieback and can cause branches to break off the tree and fall.



Monolith	Retaining a standing stem for wildlife habitat or conservation purposes at any given height. The height a monolith is left at is often determined by the proximity to any given target to be less than the falling distance to that target.
Oak Processionary Moth	A cause of defoliation, especially of oaks and trees of other species growing next to defoliated oaks. Eggs are laid within the outer crown of the host tree in late summer and hatch the following spring. The larvae feed on the leaves and often move head-to-tail in a procession, hence their common name. They make communal nests (sometimes called tents) out of silken thread in which they shelter when not feeding. Nests may be spun on the underside of a branch or on the trunk. The hairs of (later stage) larvae are a serious irritant and may provoke an allergic reaction. They easily break off, or are shed when the caterpillars are disturbed, to be dispersed in the air, as well as their abandoned nests, should be treated with extreme caution. Every year oaks in public places are surveyed for OPM and treated with insecticide. Private tree owners may be responsible for their own survey and control, potentially enforced by a plant health notice or the powers of the local authority.
Occluding tissue	The general term of wood, cambium and bark that develop around the site of a wound on a woody plant.
Phytophthora spp.	Phytophthora is a genus of water molds that cause devastating diseases in trees, affecting roots, stems, and foliage. Several species, like <i>Phytophthora ramorum</i> (which causes Ramorum disease), <i>Phytophthora lateralis</i> , and <i>Phytophthora kernoviae</i> , are known to be highly destructive. These pathogens can lead to root rot, stem cankers, dieback, and ultimately, death of the host tree.
Picus Tomography	PiCUS testing is a non-invasive method of determining the extent of decay in trees. The PiCUS Sonic Tomograph is an instrument that can detect decay in trees by taking readings of the velocity of soundwaves through the trunk/stem from several sensors, installed with small nails around the trunk, which are each struck to pass sound through the trunk/stem. These readings are used to create a tomogram, which shows the consistency of the wood within the tree and identifies area/s of decay.
Pollard/Re-Pollard	The complete or partial removal of the crown of a young tree so as to encourage the development of numerous branches either for amenity or historically as fodder, repeated management is required cyclically to maintain the feature.
Resistograph	The Resistograph equipment is a drill-based tool using a stainless-steel drill bit that is approx. 1/16 inch in diameter and about 20 inches in length and is used to establish the strength of wood, without the need for destructive testing. As the subject tree is drilled, sound wood being denser than decayed wood offers greater resistance to the drill bit as it passes through the wood. This resistance is recorded electronically across the radius of the section being tested. The depth of drilling is dependent on the drill length and dimension of the tree part



being tested. The measurement depth is recorded in centimetres while the amplitude (resistance) reading is given as a percentage across a range of 0 to 100%. The readings allow the Arboriculturalist to assess the internal condition of the subject tree.

Root collar	The basal area of the tree; transition zone from trunk to root. Also sometimes called trunk flare.
Scaffold limbs / scaffold branches	The branches that form the main network framework of the crown of a tree.
Sever ivy and re-inspect	Cut or sever a band of ivy from ground level to a defined height, usually 1.5m above ground level to allow for the inspection and reporting of the base of the tree. Severing ivy also allows the ivy above to die back over a period of time to facilitate future inspections.
Slime Flux	Relating to a toxic condition from the spreading of bacteria or their products from a source of infection: characterised by malodorous gases, or salt deposits upon the bark. Should these enter the sap stream, localised vessel necrosis can result.
Soft rot	A kind of wood decay, where a fungi degrades cellulose within the cell wall, without causing overall degradation.
Sooty Bark Disease	<i>Cryptostroma corticale</i> (Sooty bark disease) is a species of fungus that causes sooty bark disease of maples, particularly sycamore (<i>Acer pseudoplatanus</i>). The spores grow in large amounts under the bark of affected trees or stacked allergenic and cause a debilitating pneumonitis (inflammation of the lungs) in humans.
Stag-head/heading	The outer branches of a tree that have died and now tend to protrude beyond the present extent of the crown.
Subsidence	In relation to vegetation, the removal of water by plant growth resulting in localised shrinkage in the soil volume.
Suppressed	Trees which are dominated by surrounding vegetation and whose crown development is restricted from above.
Tight Union / Tight Crotch	A crotch with a narrow angle between branches, often having included bark.
Tree Preservation Order	An order made by the local planning authority, where consent must be gained before undertaking all but exempt works to a tree.
Visual Tree Assessment (VTA)	An assessment of the mechanical condition of trees based upon their 'body language'. Trees are dynamic and respond to faults / decay / environmental factors in various ways, these responses can be indicative of structural integrity.



Wetwood

An infection caused by bacteria living inside the plant tissues. The bacteria ferment the plant fluids, resulting in death of nearby cells, and often causing exudations of fluid from the bark, often referred to as a Slime Flux.

White Rot

A type of wood decay where fungi attacks the lignin within the wood matrix.



12. Appendices 2 & 3:

- **Tree Schedule – Priority Works**
- **Tree Location Plan**



Appendix 1: Tree Schedule




Feature Type / Tree Code	Tree Seq.no	Store code & name/Location	Tree Location within site	Tree tag number	Geo-location Data			Site features	Tree species (Common Name)	No. of stems	Tree Dimensions			Tree defects	Condition	Recommendations	Priority	Date of inspection	Date of next inspection
					O/s Grid Reference	Latitude - Longitude	What3Words				Height (m) (Approx.)	Crown spread (m) (Approx.)	Stem diameter at breast height (cm) (measured)						
Grp/354652	G1	Windmill Hill, Alton, GU34 1RQ	North of underground reservoir	No tag found	472211-138596	51.1420709-0.9694221	swanky.cyber.means	* Dense under growth * Public access: low	Prunus spp. (Cherry species)	14	6.0m	4.0m	30cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354676	G2	Windmill Hill, Alton, GU34 1RQ	West of underground reservoir	No tag found	472171-138589	51.1416327-0.9697446	voted.brighter.inversely	* Grass * Public access: low	Mix Broad (Mixed Broadleaves) Acer platanoides (Norway Maple) (17 trees) Alnus cordata (Italian Alder) (6 trees) Fagus sylvatica (Common Beech) (53 trees) Quercus cerris (Turkey Oak) (11 trees)	87	10.0m	6.0m	40cm	* Bark wound over 20% of stem * Crossing branches * Decay - minor basal * Ivy or climbing plants - Main stem * Major dead wood >50mm - Low target occupancy * Minor dead wood <50mm * Narrow forks with included bark * Roots/Bultruses - Other considerations - Fire damage * Typical of species and age - Aerodynamic damping from adjacent free canopies touching.	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354684	G3	Windmill Hill, Alton, GU34 1RQ	South of underground reservoir	No tag found	472198-138532	51.1415381-0.9689928	exotic.value.many	* Grass * Public access: low	Mix Broad (Mixed Broadleaves) Acer pseudoplatanus (Sycamore) (1 trees) Alnus cordata (Italian Alder) (18 trees) Fagus sylvatica (Common Beech) (8 trees)	27	10.0m	6.0m	40cm	* Decay - minor basal * Major dead wood >50mm - Low target occupancy * Minor dead wood <50mm * Typical of species and age - Aerodynamic damping from adjacent free canopies touching.	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354752	G4	Windmill Hill, Alton, GU34 1RQ	East of underground reservoir	No tag found	472215-138598	51.1419640-0.9687133	await.jousting.breathy	* Dense under growth * Public access: low	Crataegus monogyna (Hawthorn)	1	5.0m	3.0m	20cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354720	G5	Windmill Hill, Alton, GU34 1RQ	East of underground reservoir	No tag found	472260-138562	51.1418959-0.9683855	shadow.noted.commenced	* Public access: low * Soil	Mix Broad (Mixed Broadleaves) Acer platanoides (Norway Maple) (3 trees) Fagus sylvatica (Common Beech) (21 trees)	24	10.0m	4.0m	40cm	* Bark wound over 20% of stem * Crossing branches * Decay - minor basal * Major dead wood >50mm - Low target occupancy * Minor dead wood <50mm * Narrow forks with included bark * Suppressed - Aerodynamic damping from adjacent free canopies touching. * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354724	G6	Windmill Hill, Alton, GU34 1RQ	East of underground reservoir	No tag found	472270-138598	51.1421504-0.9683911	ghosts.dissolve.adopters	* Public access: low * Soil	Mix Broad (Mixed Broadleaves) Acer platanoides (Norway Maple) (6 trees) Alnus glutinosa (Common Alder) (11 trees) Fagus sylvatica (Common Beech) (54 trees) Quercus cerris (Turkey Oak) (3 trees)	74	10.0m	4.0m	40cm	* Bark wound over 20% of stem * Crossing branches * Decay - minor basal * Major dead wood >50mm - Low target occupancy * Minor dead wood <50mm * Narrow forks with included bark * Suppressed - Aerodynamic damping from adjacent free canopies touching. * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354696	G7	Windmill Hill, Alton, GU34 1RQ	Vodafone compound	No tag found	472218-138603	51.1422689-0.9688807	visa.riverside.porridge	* Public access: low - Trees within a fenced area * Soil	Mix Broad (Mixed Broadleaves) Acer platanoides (Norway Maple) (1 trees) Alnus cordata (Italian Alder) (2 trees) Fagus sylvatica (Common Beech) (9 trees) Prunus Dawyckensis (Cherry species) (2 trees) Quercus cerris (Turkey Oak) (1 trees)	15	10.0m	4.0m	40cm	* Typical of species and age - No access to carry out full VTA	Fair	* Tree Inspection (x 12 tree) - Check ownership and arrange access for a full tree survey.	High Priority	18/05/2026	May 2029
Grp/354716	G8	Windmill Hill, Alton, GU34 1RQ	Rear of Wincanton Close, within fenced Orchard	No tag found	472120-138689	51.1428772-0.9702650	exhaling.brand.products	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Betula pendula (Silver Birch) (3 trees) Crataegus monogyna (Hawthorn) (1 trees) Prunus padus (Bird Cherry) (2 trees) Salix spp. (Willow species) (5 trees)	11	2.0m	1.0m	5cm	* Typical of species and age - Variety of fruit trees	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354828	G9	Windmill Hill, Alton, GU34 1RQ	Rear of Wincanton Close	No tag found	472072-138669	51.1427014-0.9710655	space.commander.call	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer platanoides (Norway Maple) (3 trees) Aesculus hippocastanum (Horse Chestnut) (3 trees) Betula pendula (Silver Birch) (6 trees) Fagus sylvatica (Common Beech) (4 trees)	16	8.0m	5.0m	30cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/355044	G11	Windmill Hill, Alton, GU34 1RQ	Rear of Salisbury Close	No tag found	472229-138710	51.1431989-0.9683432	blockage.vaunting.slurred	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer platanoides (Norway Maple) (6 trees) Aesculus hippocastanum (Horse Chestnut) (5 trees) Fagus sylvatica (Common Beech) (20 trees) Fraxinus excelsior (Common Ash) (1 trees) Quercus spp. (Oak species) (2 trees) Tilia x europaea (Common Lime) (2 trees)	36	10.0m	6.0m	40cm	* Bark wound over 20% of stem * Decay - minor basal * Ivy or climbing plants - Main stem - Low target occupancy * Major dead wood >50mm * Minor dead wood <50mm * Narrow forks with included bark - Aerodynamic damping from adjacent free canopies touching.	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/354996	G12	Windmill Hill, Alton, GU34 1RQ	Rear of Salisbury Close	No tag found	472303-138741	51.1433650-0.9676837	trainer.yachting.grape	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer pseudoplatanus (Sycamore) (1 trees) Crataegus monogyna (Hawthorn) (6 trees)	7	3.0m	2.0m	20cm	* Dead - Dead Ivy covered hawthorns * Ivy or climbing plants - Main stem	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/355028	G13	Windmill Hill, Alton, GU34 1RQ	Rear of Salisbury Close	No tag found	472348-138735	51.1433016-0.9671386	applauded.layered.mango	* Dense under growth * Public access: low	Mix Broad (Mixed Broadleaves) Acer pseudoplatanus (Sycamore) (3 trees) Betula pendula (Silver Birch) (2 trees) Crataegus monogyna (Hawthorn) (5 trees) Fagus sylvatica (Common Beech) (6 trees)	16	10.0m	6.0m	40cm	* Bark wound over 20% of stem * Decay - minor basal * Ivy or climbing plants - Main stem * Minor dead wood <50mm	Fair	* No work required	No action required	18/05/2026	May 2029
Grp/507164	G14	Windmill Hill, Alton, GU34 1RQ	Side of 22 Wincanton Close	No tag found	472024-138656	51.1425980-0.9716294	orbited.bibs.seemingly	* Dense under growth * No access to view base of tree - Area has been fenced off and vegetation cleared. Debris has been left around the base of several trees restricting trunk inspections. * Public access: low	Mix Broad (Mixed Broadleaves)	1	8.0m	5.0m	30cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354656	1	Windmill Hill, Alton, GU34 1RQ	North of underground reservoir	No tag found	472189-138588	51.1420159-0.9694714	spirits.selects.bluff	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	12.0m	10.0m	60cm	* Major dead wood >50mm - Low target occupancy	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354660	2	Windmill Hill, Alton, GU34 1RQ	North of underground reservoir	No tag found	472186-138590	51.1420394-0.9695145	supposes.minder.museum	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	12.0m	10.0m	50cm	* Major dead wood >50mm - Low target occupancy	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354664	3	Windmill Hill, Alton, GU34 1RQ	North of underground reservoir	Tag 1834	472184-138586	51.1420011-0.9695363	waged.fidgeted.drain	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	8.0m	5.0m	40cm	* Damaged branches - Bark damage * Die back isolated * Major dead wood >50mm - Low target occupancy	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354668	4	Windmill Hill, Alton, GU34 1RQ	North of underground reservoir	Tag 1833	472178-138583	51.1419767-0.9696206	cashiers.exists.nicely	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	12.0m	10.0m	60cm	* Damaged branches - Bark damage * Major dead wood >50mm - Low target occupancy	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354672	5	Windmill Hill, Alton, GU34 1RQ	North of underground reservoir	Tag 1832	472172-138581	51.1419560-0.9697092	iterative.strike.village	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	12.0m	10.0m	60cm	* Damaged branches - Bark damage * Major dead wood >50mm - Low target occupancy	Fair	* No work required	No action required	18/05/2026	May 2029

Sg/354688	12	Windmill Hill, Aiton, GU34 1RQ	East of underground reservoir	No tag found	472242-138602	51.1421403 - 0.9686991	misty.limidy.sprinting	* Dense under growth * Public access: low	Fraxinus excelsior (Common Ash)	1	12.0m	5.0m	30cm	* Ash Dieback - Health class 3: 26%-50% remaining canopy * Ivy or climbing plants - Main stem	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354692	13	Windmill Hill, Aiton, GU34 1RQ	East of underground reservoir	No tag found	472247-138570	51.1418494 - 0.9686348	objecting.struggle.wheat	* Dense under growth * Public access: low	Fraxinus excelsior (Common Ash)	1	14.0m	10.0m	55cm	* Ash Dieback - Health class 2: 51%-75% remaining canopy	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354700	15	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472127-138689	51.1429298 - 0.9703351	samplers.moped.roselite	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	10.0m	7.0m	50cm	* Ivy or climbing plants - Main stem	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354704	16	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472138-138694	51.1429773 - 0.9701725	supported.skirt.device	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	8.0m	6.0m	45cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354708	17	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472148-138698	51.1430111 - 0.9700356	seatbelt.brilliant.margin	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	10.0m	7.0m	45cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354712	18	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472146-138689	51.1429313 - 0.9700618	wakes.huts.body	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	10.0m	7.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354756	19	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	Tag 1803	472124-138674	51.1427997 - 0.9703841	scramble.icon.workbench	* Dense under growth * Public access: low	Acer platanoides (Norway Maple)	1	8.0m	6.0m	40cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354760	20	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	Tag 1802	472115-138670	51.1427677 - 0.9705009	seaside.slanting.pitchers	* Dense under growth * Public access: low	Acer platanoides (Norway Maple)	1	9.0m	5.0m	45cm	* Crown - Other Considerations - Mistletoe * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354764	21	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472098-138663	51.1427007 - 0.9707493	examine.paid.disbanded	* Dense under growth * Public access: low	Aesculus Hippocastanum (Horse Chestnut)	6	8.0m	6.0m	40cm	* Multi-stemmed * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354768	22	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472028-138650	51.1425982 - 0.9717602	mixed.bandaged.wreck	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	8.0m	60cm	* Cracked & lifting bark - West aspect from ground extend up 2 metres. No visible indication of cause. * Ivy or climbing plants - Main stem * Codominant stems	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354772	23	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472032-138652	51.1426097 - 0.9716964	listen.proceeds.firepower	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	8.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354776	24	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472036-138647	51.1425647 - 0.9716336	lands.bankers.upholding	* Dense under growth * No access to view base of tree - Fly tipped waste around base of tree * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	8.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354780	25	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472037-138653	51.1426173 - 0.9716228	trailing.nylon.handy	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	5.0m	40cm	* Ivy or climbing plants - Main stem * Narrow forks with included bark * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354784	26	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472040-138654	51.1426257 - 0.9715755	arrived.spearing.slanting	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	8.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354788	27	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472045-138655	51.1426344 - 0.9715134	remotest.velocity.initiated	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	8.0m	50cm	* Ivy or climbing plants - Main stem * Narrow forks with included bark * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354792	28	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472048-138655	51.1426340 - 0.9714672	mattress.daredevil.studs	* Dense under growth * Public access: low	Acer platanoides (Norway Maple)	1	12.0m	8.0m	46cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354796	29	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472052-138660	51.1426780 - 0.9714104	repelled.warms.straddled	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	6.0m	47cm	* Decay in crown - Major decay in Northern stem. * Ivy or climbing plants - Main stem * Narrow forks with included bark	Poor	Fell 12-15m tree - Leave as 6m habitat pole	High Priority	18/05/2026	May 2029
Sg/354800	30	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472063-138658	51.1426646 - 0.9712493	heads.audible.headliner	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	12.0m	10.0m	75cm	* Ivy or climbing plants - Main stem * Low branches * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354852	31	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472191-138698	51.1430100 - 0.9694101	clipped.minimurms.decks	* Dense under growth * Public access: low	Quercus cerris (Turkey Oak)	1	9.0m	7.0m	40cm	* Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354884	32	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472198-138706	51.1430806 - 0.9693133	heads.ets.learn.flatten	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	13.0m	12.0m	50cm	* Ivy restricting full inspection - Main stem * Narrow forks with included bark	Fair	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354888	33	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472207-138708	51.1430959 - 0.9691803	committee.back.attend	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	10.0m	12.0m	50cm	* Damaged branches * Ivy or climbing plants - Main stem * Multi-stemmed * Narrow forks with included bark	Fair	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354944	34	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472219-138714	51.1431438 - 0.9690117	hobbies.spokes.outgrown	* Dense under growth * Public access: low	Tilia x europaea (Common Lime)	1	12.1m	12.0m	60cm	* Ivy or climbing plants - Main stem * Low branches * Narrow forks with included bark	Fair	* Basal/Epicormic growth removal * Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354952	35	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472226-138716	51.1431671 - 0.9689153	monday.traps.solicitor	* Dense under growth * Public access: low	Tilia x europaea (Common Lime)	1	10.0m	9.0m	50cm	* Die back whole crown - Minor dieback throughout crown. * Ivy or climbing plants - Main stem * Narrow forks with included bark * Sparse crown - Crown thinning	Poor	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354960	36	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472225-138709	51.1431041 - 0.9689280	weep.bagpipes.blurred	* Dense under growth * Public access: low	Tilia x europaea (Common Lime)	1	10.0m	9.0m	50cm	* Ivy or climbing plants - Main stem * Multi-stemmed * Narrow forks with included bark * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354956	37	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472231-138718	51.1431818 - 0.9688416	senior.jumps.allowable	* Dense under growth * Public access: low	Tilia x europaea (Common Lime)	1	12.0m	10.0m	50cm	* Ivy restricting full inspection - Main stem * Narrow forks with included bark * Codominant stems	Fair	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354964	38	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472239-138721	51.1432103 - 0.9687214	ripen.smarting.lifters	* Dense under growth * Public access: low	Tilia x europaea (Common Lime)	1	12.0m	10.0m	50cm	* Ivy restricting full inspection - Main stem * Narrow forks with included bark * Codominant stems	Fair	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354968	39	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472243-138722	51.1432166 - 0.9686707	oven.digit.suggested	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	13.0m	10.0m	50cm	* Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354972	40	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472246-138723	51.1432244 - 0.9686269	slicer.cheaply.shelving	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	13.0m	10.0m	50cm	* Ivy restricting full inspection - Main stem	Fair	* Sever ivy to 1.5m agl reporting all structural defects	High Priority	18/05/2026	May 2029
Sg/354976	41	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472248-138724	51.1432323 - 0.9685910	eager.statue.cushy	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	10.0m	9.0m	50cm	* Ivy or climbing plants - Main stem * Narrow forks with included bark * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354980	42	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472251-138724	51.1432336 - 0.9685560	exhaling.record.confirms	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	13.0m	10.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354984	43	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472254-138725	51.1432430 - 0.9685034	pillows.wakes.bungalows	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	13.0m	9.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029

Sg/354988	44	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472258-138726	51.1432508 - 0.9684484	crescendo.small.jokers	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	2	14.0m	9.0m	50cm	* Decay - minor basal * Ivy or climbing plants - Main stem * Narrow forks with included bark * Codominant stems	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/354992	45	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	Tag 1817	472265-138727	51.1432559 - 0.9683443	unpacked.resources.brick	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	15.0m	13.0m	65cm	* Ivy or climbing plants - Main stem * Low branches * Minor dead wood <50mm * Narrow forks with included bark	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/355004	46	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472300-138730	51.1432796 - 0.9678518	chairs.tracking.insulated	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	16.0m	14.0m	75cm	* Crossing branches - Natural bracing * Minor dead wood <50mm * Narrow forks with included bark * Raised roots/bulftresing	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/355000	47	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472311-138739	51.1433588 - 0.9676876	linen.shadowing.fewer	* Dense under growth * Public access: low	Acer pseudoplatanus (Sycamore)	1	12.0m	6.0m	50cm	* Ivy or climbing plants - Main stem * Typical of species and age	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/355024	52	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472363-138742	51.1433824 - 0.9669437	vintages.vaulting.emoiled	* Dense under growth * Public access: low	Carpinus betulus (Hornbeam)	3	6.0m	5.0m	20cm	* Ivy or climbing plants - Main stem * Multi-stemmed	Fair	* Sever Ivy to 1.5m agl reporting all structural defects	Low Priority	18/05/2026	May 2029
Sg/355032	53	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472339-138740	51.1433679 - 0.9672851	foreheads.tungsten.query	* Dense under growth * Public access: low	Fraxinus excelsior (Common Ash)	1	11.0m	7.0m	67cm	* Ash Dieback - Health class 3: 26%-50% remaining canopy * Low branches * Evidence of recent major surgery	Fair	* Reduce and reshape crown by 2.5m	High Priority	18/05/2026	May 2029
Sg/355040	55	Windmill Hill, Aiton, GU34 1RQ	Rear of Salisbury Close	No tag found	472330-138739	51.1433608 - 0.9674162	headsets.liner.silver	* Dense under growth * Public access: low	Fagus sylvatica (Common Beech)	1	14.0m	10.0m	55cm	* Low branches * Resin bleeding	Fair	* No work required	No action required	18/05/2026	May 2029
Sg/869000	56	Windmill Hill, Aiton, GU34 1RQ	Rear of Wincanton Close	No tag found	472154-138701	51.1430398 - 0.9699443	qualifier.haunt.congested	* Public access: low	Prunus laurocerasus (Common Laurel)	3	8.0m	6.0m	45cm	* Ivy or climbing plants - Main stem * Codominant stems	Fair	* No work required	No action required	18/05/2026	May 2029

Priority	Priority Key (incl timescale) Colour	Timescale
No action required		No Timescale
Low Priority		24 Months
High Priority		12 Months
Urgent- Public safety		1 Month

Appendix 2: Tree Location Plans





Simon Rogers
Head of Surveying – UK Wide
T: 0345 873 1500
E: simon.rogers@gristwoodandtoms.co.uk

Gristwood and Toms
Harris Lane, Shenley, Radlett
Hertfordshire, WD7 9EG

[www.nurture-group.co.uk/our-brands/
gristwood-and-toms/](http://www.nurture-group.co.uk/our-brands/gristwood-and-toms/)